

Walchand Institute of Technology, Solapur
Concultyancy

Financial Year	Name of faculty (Chief Consultant)	Client Organization	Title of Concultyancy of project	Amount received (in Rupees)	Amount received (in words)
	Mr. P S R Patnaik	IIHT Ltd, Bangalore (Client Location: Cognizant Chennai Campus)	Training on Azure Development and Infrastructure Design	57,600	Fifty Seven Thousand Six Hundred Rupees Only
	Dr. B B Deshmukh Mrs. M A Nirgude	Tata Concultyancy Services,Pune	Online Examination - GATE 2017	361,682	Three Lakh Sixty One Thousand Six Hundred Eighty Two Rupees Only
	Mr. R V Argiddi Mr. P S R Patnaik Mr. N S Gajjam	Dr. Vaishampayan Memorial Government Medical College Solapur	Development of Website for Dr. Vaishampayan Memorial Government Medical College Solapur	66120	Sixty Six Thousand One Hundred Twenty Rupees Only
	Mr. Shrinivasan Patnaikuni	SFJ Business Solutions Pvt. Ltd., Bangalore (Client Location: Astra Zeneca Chennai)	Training on AWS Essentials	86250	Eighty Six Thousand Two Hundred Fifty Only
	Dr. S.R. Gengaje	Airports Authority of India	Testing and calibration of multimeters	600	Six Hundred Rupees
	Mr. A.S. Gundale	Solapur Municipal Corporation (Computer)	Computer Peripherals Procurement	10,000	Ten Thousand Rupees
	Dr.P.R. Kulkarni	Sam Integrations Pvt. Ltd.	Concultyancy For TOC and ISO 9001	82800	Eighty Two Thousand Eight Hundred
	Dr.P.R. Kulkarni	Solapur Janata Sahakari Bank,Solapur	Testing Of Stainless Steel Vacuum Hot And Cold Water Bottle.	5750	Five Thousand Seven Hundred Fifty
	Dr.P.R. Kulkarni	Solapur Municipal Corporation	Concultyany Of Garbage Rate Evaluation	20000	Twenty Thousand
	Dr.P.R. Kulkarni	Sms Limited	Turning And Facing of Ms Bar As Par Drawing	2675	Two Thousand Six Hundred and Seventy Five
	Dr.P.R. Kulkarni	Sutraway Engineering Works	Testing of Household Zigzg Sewing Machine	1725	One Thousand Two Hundred and Twenty Five
	Mr. D. J. Doshi	H.N.College Of Commerce,Solapur	Maintenance and Repairs of Sangam Type Cupboards	15600	Fifteen Thousand Six Hundred
	Dr. S.A.Halkude Dr.M.G.Kalyanshetti	Public Health Engineer,Solapur Municipal Corporation , Solapur	Evaluation Of Safe Bearing Capacity for proposed construction of ESR of 1.6MLD capacity under Amrut Abhiyan Scheme near Dayanand College, Solapur	54050	Fifty Four Thousand Fifty Only
	Dr. S.S.Kashid, Ms. L.A.Pasnur	Aagam Readymix Pvt. Ltd. "MARUT" 150, Railway lines, Solapur	Evaluation of Ready mix mortar along with suggestions	3220	Three Thousand Two Hundred Twenty Only
	Mr. P.V.Dhanshetti	ABB Limited, Solapur	Evaluation of Tor Steel along with suggestions	2500	Two Thousand Five Hundred Only

Mr.C.G.Konapure	Airport Authority of India, Hotgi road, Solapur- 413224	Evaluation of aggregate properties along with suggestions	3220	Three Thousand Two Hundred Twenty
Mr.C.G.Konapure	AMAR RAJA Power system LTD. 1-18,1,AMR,NR, Nanakrambadi, Gachibowli, Hyderabad- 500032	Concrete Mix Design proportion of Grade M25 & M20	24150	Twenty Four Thousand One Hundred Fifty
Dr. S.S.Patil Dr. S.S.Kashid	Assistant Engineer Gr-I Ujjani Canal, Solapur	Evaluation of Concrete Cube Strength along with suggestions	4370	Four Thousand Three Hundred Seventy
Mr.C.G.Konapure	B.G. Shirke Construction Tech. Pvt. Ltd. Solapur	Evaluation of aggregate properties along with suggestions	2400	Two Thousand Four Hundred Only
Mr. P.V.Dhanshetti	Bhagalaxmi Rolling Mill Pvt. Ltd., Jalna Site- Baburao Gurappa Mehtre, Jule Solapur	Evaluation of Tor Steel along with suggestions	5000	Five Thousand Only
Mr.C.G.Konapure, Mr. B. P. Patil	Chettinad Cement Corporation Ltd., Solapur	Concrete Mix Design proportion for various grades of Concrete	35000	Thirty Five Thousand Only
Mr. B. P. Patil, Mr. P.V.Dhanshetti		Evaluation of aggregate properties along with suggestions	7000	Seven Thousand Only
Dr. S.S.Patil Mr. B. P. Patil	Deputy Engineer Lower Terana Canal Sub Dn No 4, Nilanga	Evaluation of Concrete core strength along with suggestions	11730	Eleven Thousand Seven Hundred Thirty Only
Dr. S.S.Patil Mr. B. P. Patil		Evaluation of Concrete core strength along with suggestions	6210	Six Thousand Two Hundred Ten Only
Dr. M. G. Kalyanshetti Mr. S. B. Javheri		Evaluation of properties of soil along with suggestions	25990	TwentyFive Thousand Nine Hundred Ninety Only
Dr. M. G. Kalyanshetti Mr. S. B. Javheri		Evaluation of properties of soil along with suggestions	8000	Eight Thousand
Dr. S.S.Kashid, Ms. L.A.Pasnur	Dhansmruti Buildcon Pvt. Ltd. Solapur	Evaluation of Concrete Cube Strength along with suggestions	9550	Nine Thousand Five Hundred Fifty Only
Mr. Ashok Kumar, Mr. S.C.Deshmukh	The Executive Engineer, Public Works Division No.2, Solapur -	Mix formula and Bituminous Mix Design	48590	Fourty Eight Thousand Five Hundred Ninety Only
Ms.L.A.Pasnur Mr. P.V.Dhanshetti	Gaurav Developers, Solapur	Evaluation of Concrete Cube Strength along with suggestions	6975	Six Thousand Nine Hundred Seventy Five Only

Mr.C.G.Konapure, Mr. B. P. Patil	Shri Sai Samarth Construction, S 3,4 Rajyog Heights, Mahavir Market Faltan Galli, Solapur	Evaluation of aggregate properties along with suggestions	8970	Eight Thousand Nine Hundred Seventy Only
Mr. S.B. Gosavi Mr.Ashok kumar	Shri. S. M. Autade Pvt. Ltd., Solapur	Permenent adjustment of Dumpy Level along with suggesions	3450	Three Thousand Four Hundred Fifty Only
Dr. S.S.Patil Mr. Ashok Kumar Dr. S.S.Kashid Mr. B.P.Patil Mr. P.V.Dhanshetti	Chief Officer Maindargi, Muncipla Council, Maindargi	Third party Technical Audit report Construction of Development of Halhalli road from Akkalkot Road to Masjid at Maindargi	73389	Seventy Three Thousand Three Hundred Eighty Nine Only
		Third party Technical Audit report Construction concrete road & one side gutter infront of Panchkshari Mandir at Maindargi	35124	ThirtyFive Thousand One Hundred Twenty Four Only
		Third party Technical Audit report Construction of Samaj Mandir, H.No-212,7 Bhim Nagar at Maindargi	10000	Ten Thousand Only
		Third party Technical Audit report Construction of 5 set General WC unit with septic tank near Kamalaves at Maindargi	10000	Ten Thousand Only
Mr. S.C.Deshmukh Mr. A.V.Unhale	GEA Cooling Tower Technologies (I) Pvt Ltd. Chennai, Worksite-NTPC Ltd., Solapur	Evaluation of water quality alongwith suggestions	2200	Two Thousand Two Hundred Only
Mr.Ashok Kumar Mr.S.C.Deshmukh	Godavari Industrial Traders, 1st Floor, MGM House, Budhawar Peth Solapur	Evaluation of subgrade soil alongwith suggestions	7820	Seven Thousand Eight Hundred Twenty Only
Mr.C.G.Konapure Mr. P.V.Dhanshetti	Gramsevak, Sidhapur Grampanchayat Tal-mangalwedha, Dist - Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing of RCC ESR at Mauje Siddhapur Tal-Mangalwedha Solapur	34000	Thirty Four Thousand Only
Dr. S.S.Kashid Ms. L.A.Pasnur	Gubbi Parking Tiles, Solapur	Evaluation of strength properties of paver block alongwith suggestions	1265	One Thousand Two Hundred Sixty Five Only
Mr. P.V.Dhanshetti	Halko Infra Projects C/O. The City Engineer, SMC., Solapur	Evaluation of Concrete Cube Strength along with suggestions	1200	One Thousand Two Hundred Only

Mr. Ashok Kumar, Mr. S.C.Deshmukh, Mr. S.B.Javheri	Heritage Infra Projects, Solapur	Evaluation of properties of aggregates, cement, steel and soil alongwith suggestions	12800	Twelve Thousand Eight Hundred
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Hinglajmaata Naagari Sahkari Pathsanstha Maryadit, Solapur	Evaluation of Concrete Cube Strength along with suggestions	1150	One Thousand One Hundred Fifty Only
Mr. Ashok Kumar, Ms. L.A.Pasnur, Mr. P. V. Dhanshetti	IL & FS Engineering Services, Kurduwadi	Evaluation of properties of aggregates, cement, steel and soil alongwith suggestions	19900	Nineteen Thousand Nine Hundred Only
Mr. B. P. Patil, Mr. P.V.Dhanshetti, Ms. L.A.Pasnur	IMP Reality Pvt. Ltd, Solapur	Evaluation of properties of aggregates, cement, steel and soil alongwith suggestions	18200	Eighteen Thousand Two Hundred Only
Mr.Ashok Kumar Mr.S.C.Deshmukh	IRCON International Limited, Solapur	Evaluation of aggregate properties along with suggestions	6440	Six Thousand Four Hundred Fourty Only
Mr. P.V.Dhanshetti Ms. L.A.Pasnur Ms. S.G. Ghadage	ISGEC Heavy Engineering Ltd.C/O. Shri Bhima Shankar Co-operative sugar factory, Tal- Indi Dist: Vijaypur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	27350	Twenty Seven Thousand Three Hundred Fifty Only
Mr. S.C.Deshmukh Mr. A.V.Unhale	IVRCL Ltd (NTPC Ltd), Solapur	Evaluation of water quality alongwith suggestions	9100	Nine Thousand One Hundred Only
Mr.C.G.Konapure	Jay Construction, Sudeep complex, First floor, near Mahila Hospital, Hotgi Road, Solapur	Concrete Mix Design proportion of Grade M25 & M20	24150	Twenty Four Thousand One Hundred Fifty
Mr.Ashok Kumar Mr.S.C.Deshmukh	Jyoti Construction, Kurduwadi	Evaluation of aggregate properties along with suggestions	4500	Four Thousand Five Hundred Only
Dr. S.A.Halkude Dr.M.G.Kalyanshetti Mr. S. B. Javheri	SMSIL- MBPL- BRAPLL (JV) Voyant Solutions Pvt. Ltd., Akkalkot Road, Railway colony, Akkalkot	Evaluation of properties of soil along with suggestions	5800	Five Thousand Eight Hundred Only
Dr. S.A.Halkude Dr.M.G.Kalyanshetti		Evaluation Of Safe Bearing Capacity of soil	11400	Eleven Thousand Four Hundred Only
Mr.Ashok Kumar Mr.S.C.Deshmukh		Evaluation of strength properties of subgrade soil, blanketing material along with suggestion	9625	Nine Thousand Six Hundred Twenty Five Only
Mr.C.G.Konapure Mr. P.V.Dhanshetti	Shri siddheshwar cold storage, Solapur	Preliminary site investigation for Non Destructive Testing testing	3450	Three Thousand Four Hundred Fifty Only

Mr. P.V.Dhanshetti Ms. L.A.Pasnur Ms. S.G. Ghadage	Mantri Realty, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1750	One Thousand Seven Hundred Fifty Only
Mr. P.V.Dhanshetti Ms. L.A.Pasnur Ms. S.G. Ghadage	Mhetras Construction Company Plot no-66, Datta Nagar, Near Kumthekar Hospital, Jule Solapur, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1100	One Thousand One Hundred Only
Dr. S.S.Kashid Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Motilal Builder & Developers,City Pride 1st Floor shop no 101,Ashok Chowk,Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2300	Two Thousand Three Hundred Only
Mr. C.G. Konapure Mrs.T. Meenakshi		Concrete Mix design of Grade M25 at Motilal Pride at Paccha Peth,Solapur	16100	Sixteen Thousand One Hundred Only
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Naresh Steel Industries Pvt. Ltd. Mumbai	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2070	Two Thousand Seventy Only
Dr. S.S.Kashid Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Pratibha Constructions Engineers and Contractors (I) Pvt. Ltd., Kolhapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2760	Two Thousand Seven Hundred Sixty Only
Mr. C.G. Konapure, Mrs. L.A.Pasnur, Mr. B. P. Patil		Concrete Mix Design of Grade M25, M20 & M15	34500	Thirty Four Thousand Five Hundred Only
Mr. P.V.Dhanshetti	Quality Enterprises, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	500	Five Hundred Only
Ms. L.A.Pasnur	Rahul Developers, Hotagi Road Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	575	Five Hundred SeventyFive
Mr. S.C.Deshmukh Mr. A.V.Unhale	Rail Vikas Nigam Limited Sawalgi Camp, opposite sawalgi Railway station Gulbarga C,0- SMS Ltd,Nagansur Tal- Akalkot,Solapur	Evaluation of water quality alongwith suggestions	2500	Two Thousand Five Hundred
Mr. Ashok Kumar, Ms. L.A.Pasnur, Mr. P.V.Dhanshetti		Evaluation of properties of aggregates, water, cement, steel along with suggestions	19950	Nineteen Thousand Nine Hundred Fifty
Mr. C.G. Konapure, Mr.S.B.Thalange, Mr. B. P. Patil		Concrete Mix design of Grade M50, M45, M40, M35, M30, M25 & M20 at doubling of Akkalkot road -Gulbarga Hotgi Gulbarga section	69000	Sixty Nine Thousand

2016-17

Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Saka & Boddu Associates,Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1800	One Thousand Eight Hundred
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	National Highway Authority of India (Ministry of Road, Transport & Highway) Project Implementation Unit Solapur.	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	3795	Three Thousand Seven Hundred NinetyFive
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Shri Mallikarjun Bankaoure, Pune	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2300	Two Thousand Three Hundred
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Central Railway, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	32200	ThirtyTwo Thousand Two Hundred
Mr. Ashok Kumar, Mr. S.C.Deshmukh		Evaluation of properties of railway ballast material alongwith suggestions	118600	One Lakh Eighteen Thousand Six Hundred
			32200	ThirtyTwo Thousand Two Hundred
Mr.C.G.Konapure Mr.Ashok Kumar Mr.S.C.Deshmukh	New Gurukrupa Stone Crusher Industries -Solapur	Evaluation of Concrete Cube Strength , cement, steel and aggregate along with suggestions	9350	Nine Thousand Three Hundred Fifty
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Om Construction, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1725	One Thousand Seven Hundred TwentyFive
Mr.C.G.Konapure Mr. P.V.Dhanshetti	Pradip Padghe 33,3,111, New Pachhha Peth, Opp. old Kumbhari Naka, Solapur	Preliminary site investigation for Non Destructive Testing testing	9775	Nine Thousand Seven Hundred SeventyFive
Mr.C.G.Konapure Mr. P.V.Dhanshetti	Prop Wizz Infra LLP, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	4500	Four Thousand Five Hundred
Ms.L.A.Pasnur Mr. P.V.Dhanshetti	Pragati Construction Flat no 201,A Wing,Shivaji Acrade,Pune Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	3105	Three Thousand One Hundred Five
Mr. C.G. Konapure Mr.S.B.Thalange	Road,Hadapsar Pune	Concrete Mix designof Grade M25 at Solapur Textile Cluster Ltd, Solapur	16000	Sixteen Thousand
Mr.Ashok Kumar Mr.S.C.Deshmukh	Patil & Company, Solapur	Evaluation of aggregate properties along with suggestions	2000	Two Thousand

Mr. P.V.Dhanshetti	Solapur Construction, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1000	One Thousand
Mr.Ashok Kumar Mr.S.C.Deshmukh Mr.C.G.Konapure	SPECTRUM Techno-Consultants (P) Ltd, Vashi, Navi Mumbai	Evaluation of strength properties of subgrade soil, blanketing material along with suggestion	34845	ThirtyFour Thousand Eight Hundred FourtyFive
Mr. Ashok Kumar, Ms. L.A.Pasnur, Mr. P.V.Dhanshetti		Evaluation of properties of aggregates, cement, steel along with suggestions	18975	Eighteen Thousand Nine Hundred SeventyFive
Mr. Pattar P. M. Mr. P.V.Dhanshetti	Speed Dry Mix India Pvt. Ltd. c-30, MIDC., Chincholi, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2760	Two Thousand Seven Hundred Sixty
Mr. S.C.Deshmukh Mr. A.V.Unhale	Sr. Manager (FQA) Solapur STPP,NTPC Ltd C/O. M,s.IVRCL Ltd	Evaluation of water quality alongwith suggestions	30330	Thirty Thousand Three Hundred Thirty
Mr. S.C.Deshmukh Mr. A.V.Unhale	KEC International, Pune	Evaluation of water quality alongwith suggestions	2200	Two Thousand Two Hundred
Dr. S.A.Halkude Dr.M.G.Kalyanshetti	Kirloskar Ferrous Limited, Shivshahi Solapur, C/O. Denasa Buildcon -Nigadi, Pune	Evaluation of properties of soil along with suggestions	2415	Two Thousand Four Hundred Fifteen
Dr. S.A.Halkude Dr.M.G.Kalyanshetti Mr. S. B. Javheri	ISC Projects Pvt. Ltd. Solapur	Evaluation of properties of soil along with suggestions	5405	Five Thousand Four Hundred Five
Dr.M.G. Kalyanshetti, Mr.Ashok Kumar, Mr.P.V.Dhanshetti		Evaluation of properties of aggregates, cement and soil along with suggestions	16885	Sixteen Thousand Eight Hundred EightyFive
Dr. S.S.Patil, Mr. P.V.Dhanshetti	Sub Divisional EngineerMJP Sub Division no.2, Solapur	Proof Checking of R.C.C. design and drawing of 50,000 liters capacity at Siddheshwar Van Vihar Nehru Nagar, Solapur	9000	Nine Thousand
Dr. S.S.Patil Mr. S.K.Kulkarni Mr. B. P. Patil		Third party Technical Audit report ofR.C. concrete road from By-pass Namaj Katta to Muncipal Boundry Bhasalegaon Road at Akkalkot Muncipal Council,Akkalkot	44036	FourtyFour Thousand ThirtySix
		Third Party Technical Audit providing bituminos tar road from A-1 chowk to Shri Bag House for Akkalkot Muncipal Council,Akkalkot,Solapur	60700	Sixty Thousand Seven Hundred

Mr. S.C. Deshmukh Mr. A. V. Unhale	Chief Officer, Akkalkot Municipal Council Akkalkot	Third party Technical Audit report of concrete road from Burabui Rathod House to Vinod Tathod House at Akkalkot Municipal Council Akkalkot	42787	Forty two Thousand Seven Hundred Eighty Seven
Dr. S.A.Halkude Dr.M.G.Kalyanshetti		Evaluation Of Safe Bearing Capacity for proposed construction of Auditorium For Virakta Math at Akkalkot Solapur	47150	FourtySeven Thousand One Hundred Fifty
Dr.S.S.Patil		Third party Technical Audit report of concrete road from Maindargi Road Virakta Math to Manik Peth General W.C. Unit Prabhag No.2 at Akkalkot Municipal Council Akkalkot	84355	Eighty Four Thousand Three Hundred Fifty five
Dr.S.A.Halkude Dr.S.S.Patil Mr. S.C. Deshmukh Mr. A. V. Unhale	Maharashtra Pollution Control Board, Mumbai	National Ambient Air Quality Monitoring Project (NAMP)	610000	Six lac ten thousand
Mr. S.B. Gosavi Mr.Ashok kumar	The Commissioner Solapur Municipal Corporation, Solapur	Rate evaluation for Tuljapur road dumping yard on PPP basis for Project 6 area Solapur	20000	Twenty Thousand
Dr.M.G.Kalyanshetti Mr. S.B.Javheri	Yashodhara Super Speciality Hospital, 6158, Siddheshwar Peth, Near Zilla Parishad, Solapur-413003	Study of bore log details at Yashodhara Super Speciality Hospital Building Unit II at Solapur	20000	Twenty Thousand
Mr. A.V.Unhale. Mr. S.C.Deshmukh		Evaluation of water quality alongwith suggesions	2500	Two Thousand Five Hundred
Dr. M.G.Kalyanshetti	Pandhe Infracons Pvt.Ltd. (PIPL), 157, C, Railway Lines, Solapur	Site Visit for Soil Investigation at Kumbhari Solapur	5000	Five Thousand
Mr. C.G. Konapure Mr.P.V.Dhanshetti	Vai. Zenduji Maharaj Belikar, Pandharpur	Concrete Mix design of Grade M25	14000	Fourteen Thousand
		Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1300	One Thousand three hundred
Mr. C.G. Konapure	Executive Engineer Rural Water Supply Scheme division Z.P. Solapur	Proof Checking of ESR 81000 liters capacity at Jawaharlal Nehru VastiGruh, Solapur	9000	Nine Thousand

Mr.B.P.Patil	Falcon Enterprises Kumar Chowk,Forest,Solapur	Non Destructive Testing test report using Rebound Hammer of RCC clumn for Blumoon site at Solapur	3000	Three Thousand
Mr. C.G. Konapure Mrs. L.A.Pasnur	Executive Engineer Maharashtra Jeevan Pradhikaran Division Solapur	Proof Checking for Checking of R.C.C. design of approach bridge to Jack well for Bhoose water supply Tal-Mangalwedha,Solapur	8000	Eight Thousand
Mr. C.G. Konapure	Sub Divisional EngineerMJP Sub Division,Pandharpur,Solapur	Proof Checking for Checking of R.C.C. design of Construction of Transformer & Pannel Board at Bhoose Pradeshik Water Supply Tal-Mangalwedha,Solapur	6325	Six Thousand Three Hundred Twenty Five
	Shri Chitra Mandir ,Gore Complex, Osmanabad.	Evaluation of Quality of Concrete Cast by Non Destructive Testing at Shri Chitra Mandir theater at Osmanabad.	10000	Ten Thousand
Mr. C.G. Konapure Mr.S.B.Thalange	Sathipal Engineers (INDIA) Limited, Chennai, Tamilnadu Site at Bhimashankar SSKN, Indi Vijaypur	Concrete Mix designof Grade M35 & M25 at Bhimashankar SSKN, Indi Vijaypur	25000	Twenty Five Thousand
	Sub Divisional EngineerPWD Sub-Divn.,Barshi	Non Destructive Testing test report ofAbutment and Piers of Major Bridge at km 28,00 to 29,00 Barshi Solapur road.	43700	Forty Three Thousand Seven Hundred
	Techmates Marketing Services, No.9,Mahatma Gandhi Bhavan,College Road Behind Hotel Sanman,Belgaum	Mix design of Grade M25 at Bhimashankar Sahakari Sakhar Karkhana at Dhulkhed.	13800	Thirteen Thousand Eight Hundred
Mr. Ashok Kumar Mrs. S. P. Pasnur	Divisional Engineer	Mix formula and Bituminous Mix Design Reasphalating by providing 7mm thick BBMwith 50mm thick BM and 25mm thck SDBM at Omerga Bus Station in Osmanabad Division	31200	Thirty One Thousand Two Hundred

Mr. S.C.Deshmukh Mr. S.B.Gosavi	S.T.Osmanabad	Mix formula and Bituminous Mix Design Reasphalating by providing 7mm thick BBMwith 50mm thick BM and 25mm thck SDBM at Omerga Bus Station in Osmanabad Division	71600	Seventy one thousand six hundred
Ms. L. A. Pasnur Mr. P. M. Pattar	Srishail S. Hatture 801,1, Mallikarjun Nagar, Hatture Vasti, Hotgi Road, Solapur	Evaluation of Tensile strength test onsteel bars along with suggestions	3000	Three Thousand
Mr. P. M. Pattar	Vijaykumar Sidram Sarsambi, Solapur	Evaluation of compressive strength on concrete cubes along with suggestions	1600	One Thousand Six Hundred
Dr. M. G. Kalyanshetti	Sudhir Buildtech Pvt. Ltd.Solapur	Evaluation of properties of soil along with suggestions	500	Five Hundred
Mr. Ashok Kumar Mr. A. V. Unhale	NTPC Limited Solapur	Evaluation of properties of railway ballast material, water testing, cement testing concrete cube testing aalong with suggestions	36905	ThirtySix Thousand Nine Hundred Five
Mr. S.C.Deshmukh Mr. A.V.Unhale	STPL (Solapur Tollways Prv Ltd) Registered office- Mirania Garden-2, plot no-321, 11,1C Topsis Road (East), Kolkata-700046	Evaluation of water quality alongwith suggestions	2530	Two Thousand Five Hundred Thirty
Dr. S. S. Patil Ms. L. A. Pasnur	Sub Divisional Engineer Ujjani Canal Sub Div. No. - 61 Ashati	Evaluation of compressive strength on concrete cubes along with suggestions	4600	Four Thousand Six Hundred
Mr. P. V. Dhanshetti Mr. B. P. Patil		Evaluation of properties of tcement, testing of concrete cube testing of steel along with suggestions	38812	ThirtyEight Thousand Eight Hundred Twelve
Dr. S. S. Patil Ms. L. A. Pasnur	City Engineer Solapur Municipal Corporation, Solapur	Evaluation of compressive strength on concrete cubes along with suggestions	8765	Eight Thousand Seven Hundred Sixty Five
Mr. P. V. Dhanshetti	Zonal Officer, Zone Office No-8, SMC., Solapur	Evaluation of compressive strength on concrete cubes along with suggestions	1200	One Thousand Two Hundred
Mr. B. P. Patil Ms. L. A. Pasnur	Yashraj Construction, Solapur	Evaluation of Tensile strength test onsteel bars along with suggestions	3000	Three Thousand
Mr. S.C.Deshmukh Mr. A.V.Unhale	The Indure Pvt. Ltd.- Solapur	Evaluation of water quality along with suggestions	2200	Two Thousand Two Hundred

Mr. B. P. Patil Ms. L. A. Pasnur	Sujoy Bhoumik, Sahyadri Shopping complex, Shop no72, Employment Chowk, Solapur	Evaluation of compressive strength on concrete cubes and Tensile strength test on steel bars along with suggestions	5175	Five Thousand One Hundred SeventyFive
Dr. M. G. Kalyanshetti Mr. S. B. Javheri	Sub Divisional Officer, Modnimb	Evaluation of properties of soil along with suggestions	4500	Four Thousand Five Hundred
Dr. S. A. Halkude Dr. M. G. Kalyanshetti	Sub divisional officer, Bhima development No 4, Shripur	Evaluation Of Safe Bearing Capacity for proposed construction.	58650	FiftyEight Thousand Six Hundred Fifty
Mrs. S. P. Pasnur Mr. P. M. Pattar	Sub Divisional Engineer MJP Sub Division, Sangola C/O. Shri Sai Samarth Construction	Evaluation of properties of cement along with suggestions	15640	Fifteen Thousand Six Hundred Fourty
Dr. S. S. Patil Ms. L. A. Pasnur	Synergy Infra Ltd., Solapur	Evaluation of compressive strength on concrete cubes along with suggestions	1175	One Thousand One Hundred Seventy Five
Dr. M. G. Kalyanshetti Mr. S. B. Javheri	Sub divisional engineer Minor Irrigation(Local area) Dn 1-Kurduwadi	Evaluation of properties of soil along with suggestions	6210	Six Thousand Two Hundred Ten
Mr. C.G. Konapure Mrs.T. Meenakshi	SMS Limited Nagansur Railway Station, Guravwadi Nagansur.	Evaluation of Quality of Concrete Cast by Non destructive test of concrete columns	68000	Sixty Eight Thousand
Mr. Ashok Kumar, Mr. S.C.Deshmukh		Evaluation of properties of railway ballast along with suggestions	15445	Fifteen thousand four hundred forty five Only
Dr. S. S. Patil Ms. L. A. Pasnur		Evaluation of properties of corase aggregates, fine aggregates, cement, steel along with suggestions	8517	Eight Thousand Five Hundred seventeen Only
Dr. M. G. Kalyanshetti Mr. S.B. Javheri		Evaluation Of Safe Bearing Capacity for proposed construction.	5600	Five Thousand Six Hundred Only
Dr. S. S. Patil Ms. L.A. Pasnur		Testing of cement, concerte cubes along with suggestions	6500	Six Thousand Five Hundred
Mr. Ashok Kumar, Mr. S.C.Deshmukh		Evaluation of properties of railway ballast along with suggestions	16690	Sixteen Thousand Six Hundred Ninety
Dr. M. G. Kalyanshetti Mr. S.B. Javheri		Evaluation Of Safe Bearing Capacity for proposed construction.	11760	Eleven Thousand Seven Hundred Sixty Only
Mr. C.G. Konapure Mr.S.B.Thalange Mrs.T. Meenakshi		Evaluation of Quality of Concrete Cast by Non destructive test of concrete columns	68000	Sixty Eight Thousand Only

Dr. S.S.Patil Dr.S.S. Kashid Mr. S.B.Gosavi Mr.P.S.R.Patnaik Mr. R.B.Argiddi Mr. Venktesh Bingi Mr. L.M.R.J Lobo Mr. S.C.Deshmukh	Commissioner, Solapur Municipal Corporation, Solapur	Third party audit of Integrated Property validation System for solapur city	200000	Two Lakh Only
Mrs. M A Nirgude Mr. Bhushan Shaharkar	Walchand College of Arts and Science Solapur	Maintenance of Computers and Peripherals	11,250	Eleven Thousand And Two Hundred Fifty Rupees Only
Mrs. M A Nirgude Mrs. S K Karpe	Kasturbai College of Education and Adyapak Vidyalaya, Solapur	Maintenance of Computers and Peripherals	7,200	Seven Thousand And Two Hundred Rupees Only
Mr. P S R Patnaik Mr. D.P.Gandhmal	Kasturbai College of Education and Adyapak Vidyalaya, Solapur	Website Security Audit of Kasturbai College of Education and Adyapak Vidyalaya	7,500	Seven Thousand And Five Hundred Only
Dr. B B Deshmukh Mrs. M A Nirgude	Tata Consultancy Services,Pune	Online Examination - GATE 2016	316,730	Three Lakh Sixteen Thousand Seven hundred Thirty Only
Mr. R V Argiddi Mr. L.M.R.J. Lobo Mrs. M A Nirgude Mr. B B Shaharkar Mrs. S K Karpe	Solapur Municipal Corporation, Solapur	Third Party Audit for Inspection of Computers and Peripheral Purchase	9,500	Nine Thousand And Five Hundred Only
Mr. A.S. Gundale and Mr. P.P. Tambe	Solapur Municipal Corporation (Computer)	Third Party Audit and verification of printers toners	10,000	Ten Thousand only
Dr. S..R. Gengaje and Mrs. R.J. Shelke	Airports Authority of India	Testing and calibration of multimeters	400	Four Hundred only
Dr.P.R. Kulkarni & Mr. S.S. Bansode	Shri Renuka Engineering Services	Internal Audit For ISO 9001:2008	18,000	Eighteen Thousand
Dr.P.R. Kulkarni & Mr. G. B. Agalave	Shri Renuka Engineering Works	Internal Audit For ISO 9001:2008	28,000	Twenty Eight Thousand
Dr.P.R. Kulkarni & Dr.B.B. Deshmukh	Balkrishna Engineering Rajkot	Testing & Inspection of Flour Mill	1,500	One Thousand Five Hundrec
Dr.P.R. Kulkarni & Mr. P.V. Salunke	H.N.College of Commerce,Solapur	Consultancy,Training,Follow Up For Implementation And Audit on 5S	20,000	Twenty Thousand
Dr.P.R. Kulkarni & Mr. D.J.Doshi	Mahila Va Bal Kalyan Vibhag,Zilla Parishad ,Solapur	Testing of Flour Mill	7,000	Seven Thousand
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	A.N.V. Tekfab Pvt. Ltd., C/O. Ashok Sangappa Nanna -Chpargaon, Tal. Akkalkot, Dist. Solapur	Evaluation of Properties of Soil alongwith suggesions	5000	Rupees Five Thousand Only

Dr.S.S.Patil	Aagam Readymix Pvt. Ltd., Solapur	Evaluating Properties of Readymix mortar alongwith Suggesion	2800	Rupees Two Thousand Eight Hundred Only
Dr.S.S.Patil, Mrs. T. Meenakshi	Accord Associates, Solapur (M.T.D.C. Girish Keshwani)	Evaluating Strength of Concrete Cube alongwith Suggesion	1200	Rupees One Thousand Two Hundred Only
Mr. C. G. Konapure	Airport Authority of India, Solapur Airport, Hotgi Road, Solapur	Evaluation of Properties of Aggregate alongwith Suggesion	1700	Rupees One Thousand Seven Hundred Only
Mr. C. G. Konapure	Akhil Bhartiya Padmashali Tuljabhavani Dharmashala, Ausa Latur Road Tuljapur	Site Visit to identify the cracks in building at Padmashali Tuljabhavani Dharmshala, Ausa Latur Road Tuljapur	3000	Rupees Three Thousand Only
Mr.C.G.Konapure Mr.S.B.Thalange	Arakal Udyog, 155,2B, Gandhi Nagar, Akkalkot Road, Solapur.	Evaluation of Quality of Concrete Cast by Non Destructive Testing on two columns of Arakal Udyog towel factory at 155,2B, Gandhi Nagar, Akkalkot Road, Solapur	4000	Rupees Four Thousand Only
Dr.S.S.Patil, Mrs. S. G. Ghadage	Assistant Engineer Gr-I, Ujjani Canal Sub Division, Solapur	Evaluation of Properties of Steel alongwith suggesions	8400	Rupees Eight Thousand Four Hundred Only
Dr.S.S.Patil, Dr. S. S. Kashid		Evaluation of Properties of Cement and Strength of Concrete Cubes alongwith suggesions	19200	Rupees Nineteen Thousand Two Hundred Only
Dr.S.S.Patil, Mr. B.P. Patil		Evaluation of Properties of Cement and Strength of Concrete Cubes alongwith suggesions	9500	Rupees Nine Thousand Five Hundred Only
Dr.S.S.Patil, Ms. L.A.Pasnur		Evaluation of Properties of Cement and Strength of Concrete Cubes alongwith suggesions	6400	Rupees Six Thousand Four Hundred Only
Dr.S.S.Patil, Dr. S. S. Kashid		Evaluation of Properties of Cement and Strength of Concrete Cubes alongwith suggesions	22000	Rupees Twenty Two Thousand Only
Dr.S.S.Patil, Mrs. S. G. Ghadage		Evaluation of Properties of Cement and Strength of Concrete Cubes alongwith suggesions	16800	Rupees Sixteen Thousand Eight Hundred Only
Dr.S.S.Patil, Mr. B.P. Patil		Evaluation of Properties of Cement and Strength of Concrete Cubes alongwith suggesions	3600	Rupees Three Thousand Six Hundred Only

Dr.S.S.Patil, Ms. L.A.Pasnur		Evaluation of Properties of Cement and Strength of Concrete Cubes alongwith suggesions	16800	Rupees Sixteen Thousand Eight Hundred Only
Dr.S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggesion	500	Rupees Five Hundred Only
Dr.S.S.Patil, Mr. B.P. Patil		Evaluation of Properties of Steel alongwith suggesions	1800	Rupees Eighteen Hundred Only
Mr.C.G.Konapure, Mrs. T.Meenakshi	AVIS India Consultants Project Engg., Royal Chambers Paud Road,Pune	Mix design of Grade M20 and M25 for construction of Co-Gen plant sub station and 132 KV transmission line at Shri Siddheshwar SSKL at Kumtha, Solapur	22500	Rupees Twenty Two Thousand Five Hundred Only
Dr. S.S.Kashid, Ms. L.A.Pasnur	Balaji Industries, Tal-Omerga, Dist-Osmanabad.	Evaluation of Properties of Lite Weight AAC Block alongwith suggesions	2500	Rupees Two Thousand Five Hundred Only
Mr.C.G.Konapure Mr. Ashok kumar	Borale Grampanchayat, Borale Tal-Mangalwedha, Dist-Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Mauje Borale, Tal: Mangalwedha, District Solapur	15000	Rupees Fifteen Thousand Only
Mr. C. G. Konapure, Mr.S.B.Thalange, Mr.S.B.Javheri	Bushra Construction Favour of Asiatic Co-op Power Looms Textile Ltd., Kumbari, Dist. Solapur	Concrete Mix Design of Garde M25 Asiatic Co-operative Power Looms Textile Ltd at village Kumbari, Dist. Solapur Maharashtra.	18000	Rupees Eighteen Thousand Only
		Evaluation of Properties of Ingredients of Concrete alongwith Suggesion	5500	Rupees Five Thousand Five Hundred Only
Mr. Ashokkumar		Evaluation of Properties of Ballast alongwith suggesions	8400	Rupees Eight Thousand Four Hundred Only
Mr. Ashokkumar, Mr. S.C. Deshmukh		Evaluation of Properties of Ballast alongwith suggesions	14000	Rupees Fourteen Thousand Only
Mr. Ashokkumar, Mr. S. C. Deshmukh		Evaluation of Properties of Ballast alongwith Suggesion	5600	Rupees Five Thousand Six Hundred Only
Mr. Ashokkumar, Mr. S.C. Deshmukh		Evaluation of Properties of Ballast alongwith Suggesion	19600	Rupees Nineteen Thousand Six Hundred Only

Mr.C.G.Konapure, Ms. S. S. Dyawarkonda	Assistant Divisional Engineer, Central Railway, Solapur	Concrete Mix Design of Grade M30 for Provision of water recycling plant of 0.5 MLD capacities at Solapur station.	20000	Rupees Twenty Thousand Only
Mr. Ashokkumar, Mr. S.C. Deshmukh		Evaluation of Properties of Ballast alongwith Suggestion	14000	Rupees Fourteen Thousand Only
Mr. Ashokkumar, Mr. S.C. Deshmukh		Evaluation of Properties of Ballast alongwith Suggestion	14000	Rupees Fourteen Thousand Only
Mr.C.G.Konapure, Mr. S.C.Deshmukh		Concrete Mix design of Grade M30 and M20 for Hotagi-Gulbarga doubling Project.	24000	Rupees TwentyFour Thousand Only
		Evaluation of Properties of Ingredients of Concrete alongwith suggestions	13900	Rupees Thirteen Thousand Nine Hundred Only
Mr. Ashokkumar, Mr. S.C. Deshmukh	Assistant Divisional Engineer, Central Railway, Kalburgi	Evaluation of Properties of Ballast alongwith Suggestion	14000	Rupees Fourteen Thousand Only
Mr. Ashokkumar		Evaluation of Properties of Ballast alongwith suggestions	14000	Rupees Fourteen Thousand Only
Mr. Ashokkumar, Mr. S.C. Deshmukh		Evaluation of Properties of Ballast alongwith Suggestion	22400	Rupees TwentyTwo Thousand Four Hundred Only
		Evaluation of Properties of Ballast alongwith Suggestion	11200	Rupees Eleven Thousand Two Hundred Only
Ms. L.A.Pasnur, Mrs. T.Meenakshi	Chairman,Bharatratna Indira Gandhi College of Engineering, Kegaon, Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	1650	Rupees One Thousand Six Hundred Fifty Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Chairman Pandurang M.S.S. Ltd., Barloni Tal-Madha, Dist- Solapur	Evaluation of Properties of Soil alongwith suggestions	1500	Rupees One Thousand Five Hundred Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Chairman, Shivpratap M.M.S.Ltd, Mangalwedha	Evaluation of Properties of Soil alongwith suggestions	4500	Rupees Four Thousand Five Hundred Only
Ms. L.A.Pasnur, Mrs. T.Meenakshi	Asst. Research Officer (Dist. Exp.School), PWD, North Solapur, Chairman Shriram Majur Sahkari Sanstha Ltd., Mamdapur Tal. Barshi	Evaluation of Properties of Steel alongwith suggestions	1800	Rupees One Thousand Eight Hundred Only

Dr. S.S.Patil, Mr. B.P. Patil, Ms. L.A.Pasnur	Chettinad Builders Pvt. Ltd., Alegaon Kanbas(G), South Solapur, Solapur	Evaluation of Properties of Cement alongwith suggestions	3600	Rupees Three Thousand Six Hundred Only
Dr. S.S.Patil, Mr. S.B. Gosavi	Chief Officer, Akkalkot Municipal Council, Akkalkot	Third Party Technical Audit report for Providing of both side gutter from Hotkar House to Shri Patil House via Shri Sunil Gawandi house in Rajiv Nagar Prabhag No. 2 for Akkalkot Municipal Council	17535	Rupees Seventeen Thousand Five Hundred ThirtyFive Only
		Third Party Technical Audit report for Proposed Concrete Road from Hotkar House to Shri Patil House via Shri Sunil Gawandi house in Rajiv Nagar Prabhag No. 2 for Akkalkot Municipal Council	17535	Rupees Seventeen Thousand Five Hundred ThirtyFive Only
Dr.S.S.Patil Dr.S.S.Kashid	Chief Officer, Maindargi Municipal Council, Maindargi	Third Party Technical Audit report for Providing concrete Road & New Gutter from Sunkappa Konchikorvu House to Dudhani-Maindargi Road in Bhimnagar for Maindargi Municipal Council	7500	Rupees Seven Thousand Five Hundred Only
		Third Party Technical Audit report for providing concrete road & one side gutter from a) Sidram Tonage House to Irbasappa Kirgal House & b) Irbasappa Kirgal House to existing C.D. work near Sindagi Saw Mill in Bhimnagar for Maindargi Municipal Council	7500	Rupees Seven Thousand Five Hundred Only
		Third Party Technical Audit report for Providing of both side gutter from Akkalkot Naka shri Maruti Mandir to Dodamani House via Naganna Durgi House Chand Lukade for Maindargi Municipal Council	17834	Rupees Seventeen Thousand Eight Hundred ThirtyFour Only

		Third Party Technical Audit report for Proposed Construction of Compound Wall for Lukade Samaj Burial Ground in Gat No. 5 for Maindargi Municipal Council	7500	Rupees Seven Thousand Five Hundred Only
		Third Party Technical Audit report for Providing Concrete Road from Akkalkot Naka Shri Maruti Mandir to Dodamani House via Naganna Durgi House Chand Lukade for Maindargi Municipal Council	17185	Rupees Seventeen Thousand One Hundred EightyFive Only
Mr. C. G. Konapure	Choudhary Filling Center, Solapur	Evaluation of Properties of Aggrgate alongwith suggesions	1200	Rupees One Thousand Two Hundred Only
Mr.S.B.Thalange, Ms. L.A.Pasnur	Dalmia Cement (Bharat) Ltd.,Tarangan, Thorat Circle, Model Colony, Shivajinagar, Pune, Maharashtra 411016	Evaluation of Properties of Cement alongwith suggesions	2800	Rupees Two Thousand Eight Hundred Only
Mr.C.G.Konapure Mr.S.B.Thalange	Damani Vidya Mandal, Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing on Columns of Damani Vidya Mandir, Solapur.	5000	Rupees Five Thousand Only
Dr. S.S.Patil	Dhanman Precicast Pvt. Ltd.,MIDC, Akkalkot Road, Solapur	Evaluating Strength of Concrete Cube alongwith Suggesion	600	Rupees Six Hundred Only
Dr. S.S.Patil, Mrs. T.Meenakshi	Dhansmruti Buildcon Pvt. Ltd., Solapur	Evaluation of Properties of Steel & Cement alongwith suggesions	19400	Rupees Nineteen Thousand Four Hundred Only
Dr.S.A.Halkude, Mr. M.G.Kalyanshetti, Mr.S.B.Javheri	Dy. Engineer Pune Grihnirman and Khsetra vikas Mandal Subdivision No.7, Solapur	Evaluating of Safe Bearing Capacity For Proposed construction of 40 Row Houses at Gat No.1088, Barshi Solapur.	42000	Rupees FourtyTwo Thousand Only
Mr.C.G.Konapure, Mr.B.P.Patil	Falcon Enterprises,Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing for Column Steel Indetification	7500	Rupees Seven Thousand Five Hundred Only
		Evaluation of Quality of Concrete Cast by Non Destructive Testing for Column Steel Indetification	7500	Rupees Seven Thousand Five Hundred Only

Mr.C.G.Konapure Mr.S.B.Thalange	Gram Panchayat, Manegaon, Tal.Sangola, Dist.Solapur	Proof Checking of Construction of RCC design of ESR	7500	Rupees Seven Thousand Five Hundred Only
Mr.C.G.Konapure , Mr.S.B.Thalange	Grampanchyat Korsegaon, Akkalkot, Dist. Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR	15000	Rupees Fifteen Thousand Only
Mr. C.G.Konapure Ms. L.A.Pasnur	Grampanchyat Modnimb Tal.Madha, Dist.Solapur	Checking of RCC Design and Drawing of ESR of 235000 liters capacity at Mouje Modnimb Rurall Water Supply Ta Madha Dist Solapur	12000	Rupees Twelve Thousand Only
Mr.C.G.Konapure Mr.S.B.Thalange	Grampanchyat Yelgi,Solapur	Proof Checking of Construction of RCC design of ESR at Yelgi.	7500	Rupees Seven Thousand Five Hundred Only
Dr. S.S.Patil, Ms. L.A.Pasnur	Gubbi Paver Tiles,Shop No.31-32, Tangsai Shoping Center, Aasara, Hotgi Road, Solapur	Evaluating Strength of Paver blocks alongwith Suggesion	1200	Rupees One Thousand Two Hundred Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Heriytage Manidhari Empire, Akkalkot Road,Solapur	Evaluating Properties of Soil alongwith Suggesion	6000	Rupees Six Thousand Only
Mr.S.S.Patil Ms.S.S. Dyawarkonda	Indian Hume Pipe, Jalgaon,Dist Buldhana	Proof Checking of Construction of RCC design for 2 lac liters capacity Raw water sump at Jalgaon Jamod and 140 villages RRWS scheme Tal Jalgaon Jamod and Sangampur Dist Buldhana	10000	Rupees Ten Thousand Only
Mr.C.G.Konapure Mrs.S.G.Ghadage, Ms.S.S. Dyawarkonda	ISGEC Heavy Engineering Ltd.C/O. Shri Bhima Shankar Co-operative sugar factory, Tal- Indi Dist: Vijaypur	Concrete Mix Design of M15, M20 and M25 for construction of boiler foundation, mill foundation, turbine foundation, cane carrier and other civil foundation for Shri Bhima Shankar Co-operative sugar factory morgue, Tal- Indi Dist: Vijaipur	30000	Rupees Thirty Thousand Only
		Evaluation of Properties of Ingredients of Concrete alongwith suggesions	10700	Rupees Ten Thousand Seven Hundred Only
Mr.C.G.Konapure, Mrs. S. S. Dyawarkonda	Jagdish Diddi, Solapur	Site Visit for Preliminary Investigation for Non Destructive Testing	5000	Rupees Five Thousand Only

2015-16

Dr. S.S.Patil, Mrs. S. G. Ghadage	K J Infrastructure Projects (I) Pvt. Ltd., Solapur	Evaluation of Properties of Paver Tiles alongwith suggesions	3300	Rupees Three Thousand Three Hundred Only
Dr. S.S.Patil, Mr. C.G.Konapure	Kalyani Huvanna Ishwarkatti, Vijapur Road, Solapur	Evaluating Properties of Cement, Steel, Aggrgate alongwith Suggestion	7500	Rupees Seven Thousand Five Hundred Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Karyakari Abhinta Ninma Terna Kalwa No.2, Latur.	Evaluating Properties of Soil alongwith Suggestion	15300	Rupees Fifteen Thousand Three Hundred Only
Dr. S.S.Patil, Mrs. S. G. Ghadage	KMV Projects Ltd., Solapur	Evaluation of Properties of Steel, Paver Blocks alongwith suggesions	5600	Rupees Five Thousand Six Hundred Only
Dr. S.S.Patil, Mrs. S. G. Ghadage	Sub Divisional Engineer, Krishna Marathwada Construction Sub Division No.2, Osmanabad	Evaluating Strength of Concrete Cube alongwith Suggestion	4000	Rupees Four Thousand Only
Dr. S.S.Patil	Kruti Power Projects, Omerga	Evaluation of Properties of Steel alongwith suggesions	1400	Rupees One Thousand Four Hundred Only
Dr. S.S.Patil, Mrs. T.Meenakshi	Labhesh Construction, 8575,B, H.No.38,2B, Chitrav Apartment, Goldfinch Peth,Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	2000	Rupees Two Thousand Only
Dr. S.S.Patil	Libas Collection, Solapur.	Evaluating Strength of Concrete Cube alongwith Suggestion	1000	Rupees One Thousand Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Lokshakti Sugar & Allied Industries Ltd.,A,P.Aurad-Mandrup, Tal.South Solapur, Solapur	Evaluating Properties of Soil alongwith Suggestion	1050	Rupees One Thousand Fifty Only
Dr. S.S.Patil	Maha Active Engineers India Prv. Ltd., Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	2500	Rupees Two Thousand Five Hundred Only
Dr. S.S.Patil, Dr. S.S.Kashid	Maheshwari Constructions Pvt. Ltd., Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	3000	Rupees Three Thousand Only
Dr. S.S.Patil, Dr. S.S.Kashid	Mangal Construction, Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	9600	Rupees Nine Thousand Six Hundred Only
Dr. S.S.Patil, Mrs. S. G. Ghadage	Mannat Constructions, Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	7000	Rupees Seven Thousand Only
Dr. S.S.Patil, Mr. S.K.Kulkarni	Mantri Realty Ltd., Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	8500	Rupees Eight Thousand Five Hundred Only

Mr.C.G.Konapure, Mrs. S. S. Dyawarkonda	Mhetras Construction Company Plot no-66, Datta Nagar, Near Kumthekar Hospital, Jule Solapur, Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing on Columns of the structure of C wing at I.M.S. Premises of shree shikshan Pratisthan, Solapur	8000	Rupees Eight Thousand Only
Dr. S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggestion	500	Rupees Five Hundred Only
Mr. S.S.Hiremath, Mr. A.V.Unhale	Mr. Shivanand Patil, Near Kinara Road, Hotgi Road, Solapur.	Evaluation of Properties of Water alongwith suggesions	2200	Rupees Two Thousand Two Hundred Only
Mr. S.S.Hiremath, Mr. A.V.Unhale	Chief Officer, Nagar Parishad, Partur, Dist. Jalna	Evaluation of Properties of Filter Sand alongwith suggesions	2000	Rupees Two Thousand Only
Dr. S.S.Patil, Mrs. S. G. Ghadage		Evaluating Strength of Concrete Cube alongwith Suggestion	7500	Rupees Seven Thousand Five Hundred Only
Mr. S.S.Hiremath, Mr. A.V. Unhale		Evaluation of Properties of Water alongwith suggesions	4400	Rupees Two Thousand Two Hundred Only
Mr. S.C.Deshmukh, Mr. A.V. Unhale		Evaluation of Properties of Water alongwith suggesions	4400	Rupees Four Thousand Four Hundred Only
Dr. S.S.Kashid, Ms. L. A.Pasnur		Evaluation of Properties of Concrete & Paver Tiles alongwith suggesions	8400	Rupees Eight Thousand Four Hundred Only
Dr. S.S.Patil, Mr. B.P. Patil, Mrs. S. G. Ghadage, Ms. L.A.Pasnur		Evaluation of Properties of Steel, Cement & Strength of Concrete Cubes alongwith suggesions	31350	Rupees ThirtyOne Thousand Three Hundred Fifty Only
Mr.C.G.Konapure, Ms.S.S. Dyawarkonda		Concrete Mix design of Grade M20 for construction of Private railway siding with all contractors materials for coal transportation sysyem for SSTPP of NTPC Limited near Hotgi Railways station in Maharashtra Civil work from Ch 2.400 to Ch. 6.00.	14000	Rupees Fourteen Thousand Only
Mr. Ashokkumar, Mr. S.C. Deshmukh		Evaluation of Properties of Ballast alongwith suggesions	13150	Rupees Thirteen Thousand One Hundred Fifty Only

Mr. Ashokkumar, Mr. S.C. Deshmukh	National Thermal Power Ltd. , Phatatewadi, Solapur	Evaluation of Properties of Ballast alongwith suggesions	24200	Rupees TwentyFour Thousand Two Hundred Only
Mr. S.S.Hiremath, Mr. A.V. Unhale		Evaluation of Properties of Water alongwith suggesions	4400	Rupees Four Thousand Four Hundred Only
Dr.S.S.Patil, Mrs. T.Meenakshi		Evaluating Strength of Concrete Cube alongwith Suggesion	6000	Rupees Six Thousand Only
Mr. S.S.Hiremath, Mr. A.V. Unhale		Evaluation of Properties of Water alongwith suggesions	7300	Rupees Seven Thousand Three Hundred Only
Mr. S.C.deshmukh, Mr. A.V. Unhale		Evaluation of Properties of Water alongwith suggesions	4400	Rupees Four Thousand Four Hundred Only
Mr. S.C.deshmukh, Mr. A.V. Unhale		Evaluation of Properties of Water alongwith suggesions	2200	Rupees Two Thousand Two Hundred Only
Mr. S.C.Deshmukh, Mr. A.V. Unhale		Evaluation of Properties of Water alongwith suggesions	2200	Rupees Two Thousand Two Hundred Only
Mr. C. G. Konapure, Mr. S.K.Kulkarni Mr.S.B.Thalange		Concrete Mix design of Grade M20 and M25 for construction of Co-Gen plant station	7200	Rupees Seven Thousand Two Hundred Only
		Evaluation of Properties of Ingredients of Concrete alongwith Suggesion	3800	Rupees Three Thousand Eight Hundred Only
		Evaluation of Properties of Ingredients of Concrete alongwith Suggesion	3800	Rupees Three Thousand Eight Hundred Only
Dr. S.S.Patil, Mrs. S. G. Ghadage, Mr. S.K.Kulkarni		Evaluating Strength of Concrete Cube alongwith Suggesion	21200	Rupees TwentyOne Thousand Two Hundred Only
Dr. S.S.Patil, Mrs. S. G. Ghadage, Mr. S.K.Kulkarni		Evaluating Strength of Concrete Cube alongwith Suggesion	32700	Rupees ThirtyTwo Thousand Seven Hundred Only
Dr.S.S.Patil, Mrs. S. P. Pasnur		Evaluation of Properties of Steel, Cement, Aggrgates alongwith suggesions	3600	Rupees Three Thousand Six Hundred Only
Dr.S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggesion	1000	Rupees One Thousand Only
Mr.C.G.Konapure		Evaluation of Properties of Aggrgates alongwith suggesions	900	Rupees Nine Hundred Only

Dr.S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggestion	500	Rupees Five Hundred Only
Dr.S.S.Patil, Mrs. T.Meenakshi		Evaluation of Properties of Steel alongwith suggestions	3200	Rupees Three Thousand Two Hundred Only
Dr.S.S.Patil, Mrs. T.Meenakshi		Evaluating Strength of Concrete Cube alongwith Suggestion	2500	Rupees Two Thousand Five Hundred Only
Dr.S.S.Patil, Mrs. S. P. Pasnur	S.N.Rawalekar Engineers & Contractors, Solapur	Evaluation of Properties of Steel, Cement, Aggrgates alongwith suggesions	13250	Rupees Thirteen Thousand Two Hundred Fifty Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Prakash Hanmant Keskar, Solapur	Evaluating Properties of Soil alongwith Suggestion	4500	Rupees Four Thousand Five Hundred Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Pratik Arun Killedar, Mangalwedha	Evaluating Properties of Soil alongwith Suggestion	10500	Rupees Ten Thousand Five Hundred Only
Dr.S.S.Patil	Mr. M. P. Kulkarni, BMIT, Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	500	Rupees Five Hundred Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Project Manager, Alacrity Constructon Pvt Ltd., Solapur	Evaluating Properties of Soil alongwith Suggestion	6800	Rupees Six Thousand Eight Hundred Only
Dr.S.S.Patil	Project Manager Unit.32, C&DS, U.P. Jal Nigam, Nasik Site- Kendriya Vidyalaya, Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	1000	Rupees One Thousand Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	PTCL Infrastructure Ltd., Mumbai	Evaluating Properties of Soil alongwith Suggestion	6800	Rupees Six Thousand Eight Hundred Only
Dr.S.S.Patil	R. R. Goli, Ashok Chowk, Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	500	Rupees Five Hundred Only
Mr. Ashokkumar, Mr. S.C. Deshmukh	Rail Vikas Nigam Limited, Solapur	Evaluation of Properties of Ballast alongwith suggestions	7200	Rupees Seven Thousand Two Hundred Only
Mr.C.G.Konapure, Mrs. S. S. Dyawarkonda		Concrete Mix Design of various grade of concrete	50400	Rupees Fifty Thousand Four Hundred Only
Mr. Ashokkumar, Mr. S.C. Deshmukh		Evaluation of Properties of Ballast alongwith suggestions	2800	Rupees Two Thousand Eight Hundred Only
Dr.S.S.Patil, Mrs. S. P. Pasnur		Evaluation of Properties of Steel alongwith suggestions	14100	Rupees Fourteen Thousand One Hundred Only
Mr. Ashokkumar, Ms. L.A.Pasnur		Evaluation of Properties of Ballast alongwith suggestions	5900	Rupees Five Thousand Nine Hundred Only

Mr.C.G.Konapure Mr.S.B.Thalange	Rajesh C. Shah, "Chatur" Appartment, Geeta nagar, Jule Solapur, Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing on Columns and Beams of the building structure "Chatur" Appartment at CTS No- 153+154,1, Geeta nagar, Jule Solapur, Solapur Solapur.	6000	Rupees Six Thousand Only
Dr.S.S.Patil, Mrs. S. P. Pasnur	Rajuri Steel Pvt. Ltd., Jalna	Evaluation of Properties of Steel alongwith suggesions	4500	Rupees Four Thousand Five Hundred Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	S.B.Sutar, Mangalwedha, Dist. Solapur	Evaluating Properties of Soil alongwith Suggesion	12000	Rupees Twelve Thousand Only
Dr.S.S.Patil, Mrs. S. P. Pasnur, Mrs. T.Meenakshi	Sai Samarth Construction, Solapur	Evaluation of Properties of Steel, Cement, Aggrgates alongwith suggesions	12000	Rupees Twelve Thousand Only
		Evaluation of Properties of Steel, Cement, Aggrgates alongwith suggesions	2800	Rupees Two Thousand Eight Hundred Only
Dr.S.S.Patil, Mrs. S. P. Pasnur	Samir Gandhi, 99, Gold Finch Peth, Shinde Chowk,Solapur	Evaluating Strength of Concrete Cube alongwith Suggesion	4500	Rupees Four Thousand Five Hundred Only
Mr.C.G.Konapure Mr.S.B.Thalange	Sarpanch Grampanchyat Aaglavewadi Tq-Sangola, Dist-Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Agalavewadi Tal: Sangola, District :Solapur	17000	Rupees Seventeen Thousand Only
Dr.S.S.Patil, Mr.C.G.Konapure Mr.S.B.Thalange,	Sathiapal Engineers (India) Limited, Temple Street, Alagappa Nagar, Kilpauk, Chennai.	Evaluation of Properties of Steel, Cement, Aggrgates alongwith suggesions	13000	Rupees Thirteen Thousand Only
Dr.S.S.Patil	Shri Gurram Properties, Engineers and Contracts, 17, Taj Plaza, Sarswati Chowk.Solapur	Evaluation of Properties of Concrete Cubes alongwith suggesions	1000	Rupees One Thousand Only
Dr.S.S.Patil, Mrs. T.Meenakshi	Shri. Abhijeet Kulkarni, Shri. S. M. Awatade Pvt. Ltd, Solapur	Evaluation of Properties of Steel, Cement alongwith suggesions	2950	Rupees Two Thousand Nine Hundred Fifty Only
Mr.C.G.Konapure Mr.S.B.Thalange	Shrimad Veershaiv Mahajan Sabha Ltd., Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing on Dining hall of Lingshetty Mangal Karvalava. Solapur.	10000	Rupees Ten Thousand Only
Dr.S.S.Patil, Mr. B.P. Patil	Shriram Majur Sakhari Sanstha Ltd. Mamdapur, Tal-Barshi.	Evaluation of Properties of Steel alongwith suggesions	1800	Rupees One Thousand Eight Hundred Only

Dr.S.A.Halkude, Mr.M.G.Kalyanshetti	Sub Division Engineer, Small Scale Irigation (WC), Solapur.	Evaluating Properties of Soil alongwith Suggesion	7500	Rupees Seven Thousand Five Hundred Only
Dr. S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggesion	500	Rupees Five Hundred Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti		Evaluating Properties of Soil alongwith Suggesion	11500	Rupees Elean Thousand Five Only
Dr.S.S.Patil, Mrs. S. P. Pasnur	Soham Udyog Samuh, Ingalgi, South Solapur, Solapur	Evaluating Strength of Concrete Cube alongwith Suggesion	3600	Rupees Three Thousand Six Hundred Only
Mr.M.G.Kalyanshetti Mr.S.B.Javheri	Somani Evergreen Knits Ltd., Solapur	Site Visit for Evaluation Of Safe Bearing Capacity for proposed construction	5000	Rupees Five Thousand Only
		Evaluating of Safe Bearing Capacity For Proposed construction of Effluent treatment plant of capacity 600M3,day at Plot No K-1 Chincholi M.I.D.C. Solapur	38000	Rupees Thirty EightThousand Only
Dr.S.S.Patil, Mrs. S. P. Pasnur	Speed Dry Mix India Pvt Ltd.,MIDC, Chincholi,Solapur	Evaluation of Properties of Readymix Mortar alongwith suggestions	13050	Rupees Thirteen Thousand Fifty Only
Dr.S.A.Halkude, Mr.M.G.Kalyanshetti, Mr.S.B.Javheri	Sudhir Buildtech Pvt. Ltd., Solapur	Evaluating Properties of Soil alongwith Suggesion	4000	Rupees Four Thousand Only
		Evaluating Properties of Soil alongwith Suggesion	2200	Rupees Two Thousand Two Hundred Only
		Evaluating Properties of Soil alongwith Suggesion	1800	Rupees One Thousand Eight Hundred Only
		Evaluating Properties of Soil alongwith Suggesion	24000	Rupees Twenty Four Thousand Only
		Evaluating Properties of Soil alongwith Suggesion	13200	Rupees Thirteen Thousand Two Hundred Only
Dr.S.A.Halkude, Dr.S.S.Patil, Mr.S.B.Gosavi, Mr.C.G.Konapure, Mr.M.G.Kalyanshetti		Third Party Technical Audit of New Chair Layout (Part of the work of Renovation & rectification of Hutatma Smruti Mandir Auditorium)	26925	Rupees TwentySix Thousand Nine Hundred TwentyFive Only
		Third party technical Scrutiny of the internal road works executed by PWD for SMC Solapur (57 No of works)	870000	Rupees Eight Lakh Seventy Thousand Only
Dr.S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggesion	500	Rupees Five Hundred Only

Dr.S.S.Patil, Mrs. S. P. Pasnur	The Commissioner Solapur Municipal Corporation, Solapur	Evaluation of Properties of Steel alongwith suggesions	5400	Rupees Five Thousand Four Hundred Only
Mr. Ashokkumar, Mr. S.C. Deshmukh		Evaluation of Properties of Ballast alongwith suggesions	2800	Rupees Two Thousand Eight Hundred Only
Dr. S.S.Patil, Ms. L.A.Pasnur		Evaluating Strength of Concrete Cube alongwith Suggestion	5000	Rupees Five Thousand Only
Dr.S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggestion	500	Rupees Five Hundred Only
Dr.S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggestion	500	Rupees Five Hundred Only
Dr.S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggestion	500	Rupees Five Hundred Only
Dr.S.S.Patil, Mrs. S. P. Pasnur		Evaluation of Properties of Concrete Cubes alongwith suggesions	2500	Rupees Two Thousand Five Hundred Only
Dr. S.S.Patil, Mrs. S. G. Ghadage		Evaluating Strength of Concrete Cube alongwith Suggestion	1000	Rupees One Thousand Only
Dr.S.S.Patil		Evaluating Strength of Concrete Cube alongwith Suggestion	1000	Rupees One Thousand Only
Dr.S.S.Patil, Dr. S. S. Kashid, Mr. B.P. Patil		Evaluating Strength of Concrete Cube alongwith Suggestion	10600	Rupees Ten Thousand Six Hundread Only
Dr.S.S.Patil	Unnati Construction Ltd., Solapur	Evaluating Strength of Concrete Cube alongwith Suggestion	4500	Rupees Four Thousand Five Hundred Only
Dr.S.S.Patil, Mr. B.P. Patil	The Principal, Shri Siddheshwar Womens Polytechnic, Solapur	Evaluation of Properties of Steel alongwith suggesions	1600	Rupees One Thousand Six Hundred Only
Mr. M. G.Kalyanshetti, Mr.S.B.Javheri	Vai Zenduji Buwa Belikar Math Sanstha, Pandharpur	Soil Investigation for the evaluation of Safe Bearing Capacity of Soil	10000	Rupees Ten Thousand Only
		Evaluating Properties of Soil alongwith Suggestion	38000	Rupees ThirtyEight Thousand Only
Mr. C.G.Konapure	Vaijnath Majoor Sahakari Sanstha Ltd., Beed	Site Visit for Preliminary Investigation for Non Destructive Testing of Bridge in Beed District	2000	Rupees Two Thousand Only

Mr.M.G.Kalyanshetti Mr.S.B.Javheri	Vishwashanti Gurukul Wakhari, Pandhapur	Carrying out necessary testing in our laboratory on soil samples collected during the site. Interpretation of result and preparation of detailed report for evaluation of safe bearing capacity.	36000	Rupees Thirty Six Thousand Only
Mr. M. G. Kalyanshetti, Mr. S. B. Javheri	Y.V. Mane of Baramati, Pune	Evaluating Properties of Soil alongwith Suggesion	5600	Rupees Five Thousand Six Hundred Only
Dr.S.A.Halkude Mr. M. G. Kalyanshetti, Mr. S. B. Javheri	Yashodhara Super Speciality Hospital Pvt. Ltd., 6158, Siddheshwar Peth, Near Zila Parishad, Solapur	Evaluating Properties of Soil alongwith Suggesion	2500	Rupees Two Thousand Five Hundred Only
		Site Visit for Evaluation Of Safe Bearing Capacity for proposed construction	5000	Rupees Five Thousand Only
		Intermediate report for bearing capacity of strata based on bore log details.	25000	Rupees Twenty Thousand Only
Dr. S. A. Halkude, Dr. S .S. Patil, Mr. S. C. Deshmukh, Mr. A.V. Unhale	Maharashtra Pollution Control Board, Mumbai	Evaluation of Ambient Air Quality and Monitoring	610000	Rupees Six Lakh Ten Thousand Only
Mrs. M A Nirgude Mrs. P S Yalagi	SamajKalyan Office, Solapur	Gap Analysis for e-office Implementation	Voluntary Service to Social Welfare Department, Government of Maharashtra. Estimated Cost is 300000	Three Lakh rupees only
Mrs. R V Argiddi Mrs. M A Nirgude	Tata Consultancy Services,Pune	Online Examination - GATE 2015	3,29,280	Three Lakh Twenty Nine Thousand Two Hundred Eighty Only
Mr. S.B. Jamge and Mrs. V.S. Patki	Benn Electricals, Mumbai	Testing of electrical motors and generators	15,000	Fifteen Thousand only
Mr. M.G.Kalyanshetti Mr. S.B.Javheri	A.B.Hongunti 302,West Mangalwar Peth,Solapur	Evaluation Of Safe Bearing Capacity for proposed construction of 220KV Sub Station M.S.E.T.C.)at Vairag ,Barshi ,Solapur	37000	Thirty seven thousand Only.
Dr.S.A.Halkude Mr. M.G.Kalyanshetti		Evaluation Of Safe Bearing Capacity for proposed constructionM.S.E.T.C.Sub station ,Nimboni,Mangalwedha,Solapur	37000	Thirty seven thousand Only.
Mr. C.G.Konapure Mr. S.B.Thalange	A.R.Burla Mahila Mahavidhyalaya,Solapur	Non Destructive Test report on sample panel precast RCC at A.R.Burla Mahila Mahavidhyalaya,Solapur	3000	Three Thousand Only.

Dr.S.S.Patil, Mrs. S.G.Ghadage	Aakar Abhinav Consultants pvt. Ltd. Sector 11, CBD Belapur, Navi Mumbai	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	1800	One Thousand Eight Hundred Only
Mr. S.S.Hiremath Mr. S.C.Deshmukh	ABB Ltd., Unitech Power Transmission Limited Fatawadi Solapur	Evaluation of quality of water alongwith suggestions	9000	Nine Thousand Only
Dr. S.S.Kashid, Mr. S.C.Deshmukh	AFCONS Infrastructure Ltd., AFCONS House,16,Shah Indusrial Estate,AndheriW ,Mumbai	Estimation of Peak Flood at Four Bridges sites along proposed Railway Line in Djibouti	15000	Fifteen Thousand Only.
Mr. S.S.Hiremath Mr. S.C.Deshmukh	Ahmedpur Nagar Parishad, Office, Ahmedpur, Latur	Evaluation of quality of water alongwith suggestions	4000	Four Thousand Only
Dr.S.S.Patil, Mrs. S.G.Ghadage	Alacrity Construction Pvt. Ltd. 99, Goldfinch peth, Shinde Chowk, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	12700	Twelve Thousand Seven Hundred Only
Dr.S.A.Halkude Mr. M.G.Kalyanshetti		Evaluation Of Safe Bearing Capacity for proposed construction at LandMark ,Solapur	39000	Thirty Nine Thousand Only.
Mr. S.B.Gosavi		Permanent adjustment of Surveying equipment	1400	One Thousand Four Hundred Only
Dr.S.S.Patil, Mrs. S.G.Ghadage		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	900	Nine Hundred Only
Mr. S.C.Deshmukh, Mr. Ashok Kumar	All India Radio, Old Kumbhari Road, Solapur	Evaluation of Properties of Ballast alongwith suggestions	2000	Two Thousand Only
Dr.S.S.Patil, Mrs. S.G.Ghadage		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	5500	Five Thousand Five Hundred Only
Dr.S.S.Patil, Mrs. S.G.Ghadage	B. R. Associates Engineers & Contractors, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	3400	Three Thousand Four Hundred Only
Mr. C.G.Konapure, Mr. S.B.Thalange	B.S. Khedgi Stone Crusher, Tal:- Akkalkot	Evaluation of quality ofaggregates alongwith suggestions & Cement	1250	One Thousand Two Hundred Fifty Only
Mr. M.G.Kalyanshetti Mr. S.B.Javheri	Barshi Nagar Parishad,Barshi,Solapur. C/o- R.A.Ghule Construction Palghar	Evaluation Of Safe Bearing Capacity for proposed construction of 12. lit. E.S.R. at Barshi Paranda Road at Barshi,Solapur	39000	Thirty Nine Thousand Only.
Mr. S.C.Deshmukh, Mr. Ashok Kumar	Assistant Divisional Engineer Central Railway, Solapur	Evaluation of Properties of Ballast alongwith suggestions	40800	Fourty Thousand Eight Hundred Only

Dr.S.S.Patil Mr. S.B.Javheri	Chairman/Secretary,Rural Health Care Water Supply and Sanitation Sameeti Grampanchayat,Malegaon ,Madha,Solapur	Proof consultancyfor R.C.C.Design for E.S.R. having 300000lit capacity at Malegaon Water Supply Scheme at Malegaon ,Madha,Solapur	7500	Seven Thousand Five Hundred Only.
Dr.S.S.Patil, Mrs. S.G.Ghadage	Chaitanya Constructions, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	2000	Two Thousand Only
Dr.S.S.Patil, Mrs. S.G.Ghadage	Crompton Greaves Pvt. Ltd., Mumbai, Site- Service Center, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	4500	Four Thousand Five Hundred Only
Mr. C.G.Konapure Mr. S.B.Thalange	Deputy Engineer,Maharashtra Jeeven Pradhikaran Sub Division no.2, Solapur	Proof Consultancy and Evaluation of Quality of Concrete Cast by Non Destructive Testingof R.C.C.E.S.R.capacity 27000 lit at Hirvegaon Mangalwedha,Solapur	7500	Seven thousand Five hundred Only.
Mr. C.G.Konapure Mr. S.B.Thalange	Deputy Executive Engineer ,Ujjani Canal Dn. No 8,Solapur	Technical Guidance of Ekrukha Lift Irrigation scheme pump house stage-II & N.D.T. on Peripheral beam at Boramani,Solapur	58000	Fifty Eight Thousand only
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	Deshbhakta Sambhajirao Garad Mahavidhlaya at Mohol,Solapur	Evaluation of Safe Bearing Capacity for proposed construction of Ladies Hostel Building at Deshbhakta Sambhajirao Garad Mahavidhlaya at Mohol,Solapur	38000	Thirty Eight Thousand only
Dr.S.S.Patil, Mrs. S.G.Ghadage	Econ Building Products, C/O., Miniar Enterprises, Samrat Chowk, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	4500	Four Thousand Five Hundred Only
Mr. C.G.Konapure Mr. S.B.Thalange	Executive Engineer ,National Highway Division,Kolhapur	Site Visit and N.D.T. report span no 2 of bridge near village Watumbare on Kolhapur Sangola Solapur Road at Ch:276/800	62200	Sixty Two Thousand Two Hundred Only.
Mr. C.G.Konapure Mr. S.K.Kulkarni	Executive Engineer ,Public Works Department,Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR of Educational Building for Maharashtra Institute of Hotel Management and Catering Technology,Bijapur Road,Solapur	33000	Thirty Three Thousand Only.

Dr.S.S.Patil P.N.Kore	Mr. Executive Engineer ,Ujjani Canal Dn. No 8,Solapur	Structural Design & Drawing of Trust Beam for rising Main Barshi Lift Irrigation scheme	24000	Twenty Four Thousand Only.
Mr. S.S.Hiremath S.C.Deshmukh	Gea Cooling Tower Technology Pvt. Ltd., Site- NTPC, Phataewadi, Solapur	Evaluation of quality of water alongwith suggestions	8300	Eight Thousand Three Hundred Only
Mr. C.G.Konapure P.N.Kore	Mr. Grampanchayat , Akole (Mandrup) South Solapur,Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Akole (Mandrup) South Solapur,Solapur	17000	Seventeen thousand Only.
Mr. C.G.Konapure S.K.Kulkarni	Mr. Grampanchayat ,Mauje Bavi,Barshi,Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Mauje Bavi,Barshi,Solapur	15000	Fifteen Thousand .
Mr. C.G.Konapure T.Meenakshi	Mrs. Grampanchayat ,Mauje Pimpalgaon,Barshi,Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Mauje Pimpalgaon,Barshi,Solapur	15000	Fifteen Thousand Only.
Mr. C.G.Konapure S.B.Thalange	Mr. Grampanchayat ,Mauje Manegaon,Barshi,Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Mauje Manegaon,Barshi,Solapur	15000	Fifteen Thousand Only.
Mr. C.G.Konapure P.N.Kore	Mr. Grampanchayat Doagaon North Solapur,Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Dongaon. NorthSolapur,Solapur	17000	Seventeen Thousand Only.
Mr. C.G.Konapure, S.B.Thalange	Mr. Halko Infra Projects, near Zoom plaza , Borivali (west) Mumbai	Evaluation of quality ofaggregates alongwith suggestions & Cement	3500	Three Thousand Five Hundred Only
Dr.S.A.Halkude M.G.Kalyanshetti	Hindustan Petroleum Corporation Limited, Near Pakani Railway Station, Solapur	Evaluation of Soil properties alongwith suggestions	23600	TwentyThree Thousand Six Hundred Only
Mr. S.C.Deshmukh, Ashok Kumar		Evaluation of Properties of Ballast alongwith suggestions	5500	Five Thousand Five Hundred Only
Dr.S.S.Patil, Mrs. S.G.Ghadage		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	11600	Eleven Thousand Six Hundred Only

Mr. C.G.Konapure Mrs. S.G.Ghadage		Mix Design of Grade M 25 for hpcl,ird For Water Piping Job Make up water systems civil Package work	16000	Sixteen Thousand Only.
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	HNB Engineers Pvt. Ltd. Shukawar Peth, Bajirao Road, Pune	Evaluation Of Safe Bearing Capacity for proposed construction of 15 MLD Sewage treatment plant at Nehru Nagar-Dongaon Road, Solapur	39000	Thirty Nine Thousand Only.
Mr. S.S.Hiremath Mr. S.C.Deshmukh		Evaluation of quality of water alongwith suggestions	2200	Two Thousand Two Hundred Only
Dr.S.S.Patil, Mrs. S.G.Ghadage		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	7850	Seven Thousand Eight Hundred Fifty Only
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	IL & FS Engg-Kalindee(JV) Kurudwadi	Evaluation of Soil properties alongwith suggestions	8400	Eight Thousand Four Hundred Only
Dr.S.S.Patil Ms. L.A.Pasnur	IMP Realty Pvt. Ltd, Samrath chowk, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	40100	Fourty Thousand One Hundred Only
Mr. S.S.Hiremath Mr. S.C.Deshmukh	Indure Private Limited,NTPC Fatatewadi Solapur	Evaluation of quality of water alongwith suggestions	6600	Six Thousand Six Hundred Only
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	Ircan International Ltd Madhuban Nagar, Near Bank of India colony, Jule Solapur, Solapur	Evaluation of Soil properties alongwith suggestions	31600	ThirtyOne Thousand Six Hundred Only
Mr. S.C.Deshmukh, Mr. Ashok Kumar		Evaluation of Properties of Ballast alongwith suggestions	100100	One Lakh One Hundred Only
Mr. S.S.Hiremath Mr. S.C.Deshmukh		Evaluation of quality of water alongwith suggestions	2400	Two Thousand Four Hundred Only
Mr. C.G.Konapure, Mr. S.B.Thalange		Evaluation of quality of aggregates alongwith suggestions & Cement	18100	Eighteen Thousand One Hundred Only
Dr.S.S.Patil Ms. L.A.Pasnur		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	35400	ThirtyFive Thousand Four Hundred Only
Mr. S.S.Hiremath Mr. S.C.Deshmukh	IVRCL Pvt. Ltd.,NTPC Fatatewadi Solapur	Evaluation of quality of water alongwith suggestions	26400	TwentySix Thousand Four Hundred Only
Mr. S.S.Hiremath Mr. S.C.Deshmukh	KEC International Ltd.,NTPC Fatatewadi Solapur	Evaluation of quality of water alongwith suggestions	11000	Eleven Thousand Only
Dr.S.S.Patil Ms. L.A.Pasnur	Kendriya Vidyalaya, Modi Khana, Railway Lines, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	1900	One Thousand Nine Hundred Only

Dr.S.S.Patil Mrs. T.Meenakshi	Left Kukadi Sub Division no 2,Karmala,Solapur	Revised Drawing & Report of 25000 lit. capacity E.S.R.& staircase at Dahigaon lift irrigation scheme pump house no1, Karmala,Solapur	10000	Ten thousand Only.
Mr. S.B.Gosavi	Lokmangal Developers, Solapur	Permnet adjustment of Surveying equipment	1400	One Thousand Four Hundred Only
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	Lokshakti Sugar And Allied Industries Ltd., At Post Korawali Taluka Mohol Solapur	Evaluation of Soil properties alongwith suggestions	5400	Five Thousand Four Hundred Only
Mr. C.G.Konapure Mr. S.B.Thalange	Maharashtra Jeeven Pradhikaran Sub Division No 2,Solapur	Structural Assesement and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Wagdharei,Akkalkot,Solapur	15000	Fifteen Thousand Only..
Dr.S.S.Patil Mrs. T.Meenakshi		Proof Consultancy and Structural Design and Drawing of Solapur University Water Supply Scheme,Solapur	19000	Nineteen Thousand Only.
Mr. S.S.Hiremath Mr. S.C.Deshmukh	Maharashtra Jeeven Pradhikaran Sub Division,Osmanabad	Stabilisation Pound for Inspection of Outlet levelasver at Tuljapur	10000	Ten thousand Only.
Dr.S.S.Patil, Mr. S.S.Hiremath	Maharashtra Pollution Control Board, Mumbai	Evaluation of Ambient Air Quality and Monitoring	228000	Two Lakhs Twenty Eight Thousand
Dr.S.A.Halkude, Mr. S.C.Deshmukh	Maharashtra Pollution Control Board, Mumbai	Evaluation of Ambient Air Quality and Monitoring	228000	Two Lakhs Twenty Eight Thousand
Mr. C.G.Konapure Mr. S.B.Thalange	Maharashtra Tourisum Development Corporation C/O- Lokmangal Devplors Ltd.,Solapur	Mix Design of Grade M25 for construction of Community Hall at Akkalkot, Solapur	18000	Eighteen thousand Only.
Mr. C.G.Konapure Mrs. S.G.Ghadage	Maharashtra Tourisum Development Corporation C/O- Vasant Construction,Mumbai	Mix Design of Grade M25 & M30 forNallah Channelization & Development of Traffic	27000	Twenty Seven Thousand Only.
Dr.S.S.Patil Mrs. T.Meenakshi	Maindargi Nagar Parishad,Maindargi,Akkalkot, Solapur	Third Party Technical Audit report of construction of Samaj Mandir at Maindargi	7500	Seven Thousand Five Hundred Only.
Dr.S.S.Patil Ms. L.A.Pasnur	Mangal Construction, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	4000	Four Thousand Only
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	Manidhari Realtors Pvt Ltd., Akkalkot Road,Solapur	Evaluation of Soil properties alongwith suggestions	1200	One Thousand Two Hundred Only
Dr.S.S.Patil Ms. L.A.Pasnur	Mannat Constructions, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	4500	Four Thousand Five Hundred Only

2014-15

Dr.S.S.Patil Ms. L.A.Pasnur	Mantri Realty Ltd., Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	27400	TwentySeven Thousand Four Hundred Only
Dr.S.S.Patil Ms. L.A.Pasnur	Meena Developers, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	2000	Two Thousand Only
Dr.S.S.Patil Ms. L.A.Pasnur	Mhetras Construction Company, Plot No 66 Datta Nagar Kumthekar hospital, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	4700	Four Thousand Seven Hundred Only
Mr. S.B.Gosavi	Modern Road Makers Pvt. IRB Complex, Chandivilli village, Andheri (E) Mumbai	Permanent adjustment of Surveying equipment	400	Four Hundred Only
Dr.S.S.Patil Ms. L.A.Pasnur	N.B.Mandhana, MIDC, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	3500	Three Thousand Five Hundred Only
Mr. C.G.Konapure Mr. S.K.Kulkarni	National Thermal Power Ltd. , Phatawadi, Solapur	Evaluation of quality of aggregates alongwith suggestions	2300	Two Thousand Three Hundred Only
Mr. S.C.Deshmukh, Mr. Ashok Kumar		Evaluation of Properties of Ballast alongwith suggestions	4100	Four Thousand One Hundred Only
Mr. C.G.Konapure Mrs. S.S.Dyawarkonda	NTPC Ltd. m/s KEC International Ltd., Fatawadi Solapur	Mix Design of Grade M30 for Make up water systems civil Package work	20000	Twenty Thousand Only.
Mr. S.S.Hiremath Mr. S.C.Deshmukh	Nilanga Nagar Parishad, Nilanga	Evaluation of quality of water alongwith suggestions	2000	Two Thousand Only
Dr.S.S.Patil, Mr. P.N.Kore	OM Constrection Company, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	2500	Two Thousand Five Hundred Only
Dr.S.S.Patil, Mr. P.N.Kore	Power Grid Corporation Of India Limited, Phatawadi, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	25000	TwentyFive Thousand Only
Mr. C.G.Konapure Mrs. S.S.Dyawarkonda	Pramod Shivpuje, Flat No2, Aporva Appt., Railway Line, Solapur	Mix Design of Grade M30 for commercial Building project owned by Mr.P.R.Bansode at Railway Lines at Solapur	18000	Eighteen thousand Only.
Mr. C.G.Konapure, Mr. S.B.Thalange	Prasar Bharti Doordarshan Maintenance Centre, Solapur	Evaluation of quality of aggregates alongwith suggestions & Cement	5750	Five Thousand Seven Hundred Fifty Only
Mr. M.G.Kalyanshetti Mr. S.B.Javheri	Pravara Rural Engineering College, Loni, Rahata, Ahmed Nagar	Evaluation Of Safe Bearing Capacity for proposed construction building at Bhatumbare, Pandharpur, Solapur	35000	Thirty Five Thousand Only.

Dr.S.S.Patil Ms. L.A.Pasnur	Precedent,Rural Water Supply & Sanitation Commyity Grampanchayat Mauje Maroli Metkarwadi,Mangalwedha, Solapur	Proof Consultancy and Structural Design and Drawing of R.C.C. E.S.R. 20000lit capacity at Mauje Phatkal Metkarwadi,Mangakwedha,Solapur	7500	Seven Thousand Five Hundred Only.
Dr.S.S.Patil Mr. P.N.Kore	Public Health Engineer ,Solapur Municipal Corporation,Solapur	Proof consultancy for R.C.C.design E.S.R. having 5.00 lakh & 10 lakh liter capacity under UIDSSMT at Soregaon and Pratapnagar	21250	Twenty One Thousand Two Hundred Fifty Only.
Dr.S.A.Halkude Mr. M.G.Kalyanshetti		Evaluation Of Safe Bearing Capacity for proposed construction of 12.5 MLD sewage treatment plant at Kumthe,Solapur	39000	Thirty Nine Thousand Only.
Dr.S.S.Patil Mr. P.N.Kore	Public Health Engineer ,Solapur Municipal Corporation,Solapur. C/o Shrikant Soni 431,Chati Galli,Solapur	Proof Consultancy for Design of Break Pressure Tank at Nandani,Solapur	15000	Fifteen Thousand Only.
Dr.S.S.Patil, Mr. P.N.Kore	Public Works Department, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	2700	Two Thousand Seven Hundred Only
Dr.S.S.Patil Mr. S.B.Javeri	R. Sangam Lic.No. SLA 8075, Flat no5, Harshad Appart., Railway Line,Solapur	Proof Consultancy and structural beharavors of Damages to sugar Godown Building of Badami Sugar Ltd.	15000	Fifteen Thousand Only.
Mr. M.G.Kalyanshetti Mr. S.B.Javheri	R.A.Ghule Construction Palghar,Mumbai	Evaluation Of Safe Bearing Capacity for proposed construction of 10lakhLit E.S.R. At Agalgaon Road,Barshi,Solapur	39000	Thirty Nine Thousand Only.
Mr. M.G.Kalyanshetti Mr. S.B.Javheri		Evaluation Of Safe Bearing Capacity for proposed construction of 6.5 lakhLit E.S.R. At Gadegaon Road,Barshi,Solapur	48500	Forty Eight Thousand Five Hundred Only .
Dr.S.S.Patil, Mr. P.N.Kore	Rail Vikas Nigam Limited, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	14400	Fourteen Thousand Four Hundred Only
Dr.S.A.Halkude Mr. M.G.Kalyanshetti		Evaluation of Soil properties alongwith suggestions	7900	Seven Thousand Nine Hundred Only
Dr.S.S.Patil, Mr. P.N.Kore	Rajuri Steel Pvt. Ltd., Jalna	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	5057	Five Thousand FiftySeven Only

Dr.S.A.Halkude Mr. M.G.Kalyanshetti	Reward Construction Pvt. Ltd., Pune	Evaluation of Soil properties alongwith suggestions	11700	Eleven Thousand Seven Hundred Only
Mr. S.C.Deshmukh, Mr. Ashok Kumar		Evaluation of Properties of Ballast alongwith suggestions	7500	Seven Thousand Five Hundred Only
Mr. S.S.Hiremath Mr. S.C.Deshmukh		Evaluation of quality of water alongwith suggestions	4400	Four Thousand Four Hundred Only
Dr.S.S.Patil, Mr. P.N.Kore		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	7200	Seven Thousand Two Hundred Only
Dr.S.S.Patil, Mr. P.N.Kore	Rudraanee Infrastructure Ltd., Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	4000	Four Thousand Only
Dr.S.S.Patil Mrs. T.Meenakshi	Rural Water Supply & Sanitation Commity Grampanchayat Maroli,Mangalwedha,Solapur	Proof Consultancy and Structural Design and Drawing of R.C.C. E.S.R. 10000lit capacity at Maroli,Mangakwedha,Solapur	7500	Seven Thousand Five Hundred Only.
Dr.S.S.Patil Mr. S.B.Javeri	Rural Water Supply & Sanitation Sameeti Grampanchayat Korowali	Proof consultancy for Design of E.S.R. having 30,000 lit. capacity at Korowali water supply at Korowali,Mohol,Solapur	7500	Seven Thousand Five Hundred Only.
Mr. C.G.Konapure Mr. S.K.Kulkarni	Rural Water Supply, Mangalwedha,Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR atPathal,Mangalwedha,Solapur	15000	Fifteen Thousand Only.
Mr. C.G.Konapure Mr. S.B.Thalange	Rural Water SupplyZ.P.) Sub Division South Solapur,Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Nannaj NorthSolapur,Solapur	15000	Fifteen Thousand Only.
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	S.N.Bhobe & Associates Pvt.Ltd.,Navi Mumbai	Evaluation of Soil properties alongwith suggestions	4700	Four Thousand Seven Hundred Only
Mr. S.C.Deshmukh, Mr. Ashok Kumar		Evaluation of Properties of Ballast alongwith suggestions	1500	One Thousand Five Hundred Only
Mr. C.G.Konapure Mr. S.K.Kulkarni		Non Destructive Test report on slab of span at 485/3 Hotgi Gulburga section in Solapur Division	16000	Sixteen Thousand Only.
Dr.S.S.Patil, Mr. P.N.Kore	Sagare Constructions, Rahul Enclave, Near SBI, Vishrambag, Sangali	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	4500	Four Thousand Five Hundred Only

Dr.S.S.Patil, Mr. P.N.Kore	Sanrachana Enterprises, Sector 18, Chinchwad Pradhikaran, Pune	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	1500	One Thousand Five Hundred Only
Dr.S.S.Patil, Mr. P.N.Kore		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	1500	One Thousand Five Hundred Only
Dr.S.S.Patil, Mr. S.K.Kulkarni	Santosh Construction, Govt. Regd. Class -I Contractor, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	3500	Three Thousand Five Hundred Only
Mr. C.G.Konapure Mrs. S.S.Dyawarkonda		Mix Design of Grade M30 for construction of E.S.R. at Shri Siddheshwar Market Yard at Solapur	27000	Twenty Seven Thousand Only.
Mr. C.G.Konapure Mr. S.K.Kulkarni	Sarpanch, Grampanchayat Aundhi, Mohol, Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R.C.C. ESR at Aundhi. Mohol, Solapur	17000	Seventeen Thousand Only.
Dr.S.S.Patil, Mr. S.K.Kulkarni	Sathiapal Engineers (India) Limited, Temple Street, Alagappa Nagar, Kilpauk, Chennai.	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	1500	One Thousand Five Hundred Only
Mr. C.G.Konapure Mr. P.N.Kore	Shree Construction, Solapur	Mix Design of Grade M35 for Construction of road under bridge at LC NO. 11,47 on KWV- MRJ section commercial Building project owned by Mr.P.R.Bansode at Railway Lines at Solapur	18000	Eighteen thousand Only.
Dr.S.S.Patil Ms. L.A.Pasnur	Shree Sunil Patki Engineers and Developers, Solapur	Providing Design and Drawing of Modernized Sewage Treatment Plant for Capacity 150m ³ /day consisting primary & secondary treatment etc. including allied units for Waste disposal with Civil Mechanical Works	60000	Sixty Thousand Only.
Dr.S.S.Patil Mr. S.B.Javeri	Abdul Latif Shaikh, New Palace Road, Akkalkot, Solapur	Structural Stability inspection of the building on the land bearing CTS NO 2958, For issue of structural Stability	11236	Eleven Thousand Two Hundred thirty six Only.

Mr. C.G.Konapure Mr. S.B.Thalange	Shri Siddheshwar Sahakari Sakhar Karkhana Ltd., Kumthe, Solapur	Structural Assesment and Evaluation of Quality of Concrete Cast by Non Destructive Testing of R. C. C. columns	4000	Four thousand Only.
Dr.S.S.Patil, Mr. S.K.Kulkarni	Shrikrishna Construction ,Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	1500	One Thousand Five Hundred Only
Mr. C.G.Konapure Mrs. S.S.Dyawarkonda		Mix Design of Grade M20 forSolapur Market Commission in T.P.I.(F.A.) and construction of Auction Hall for cattle market	18000	Eighteen thousand Only.
Dr.S.S.Patil, Mr. S.K.Kulkarni	Siddhivinayak Properties, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	2000	Two Thousand Only
Dr.S.S.Patil Mr. P.N.Kore	Sinhgad Academy of Engineering, Survey no 40/4,Kondhawa-Saswad Road Kondhawa,Pune	Flexure test on RC Beam of size 200mmx400mmx2000mm for two point loading under loading frame of capacity 1000kN in Heavy Structure Lab.	5000	Five Thousand Only.
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	Solapur Municipal Corporation, Solapur	Evaluation of Soil properties alongwith suggestions	2400	Two Thousand Four Hundred Only
Mr. S.C.Deshmukh, Mr. Ashok Kumar		Evaluation of Properties of Ballast alongwith suggestions	2400	Two Thousand Four Hundred Only
Dr.S.S.Patil, Mr. S.K.Kulkarni		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	34700	ThirtyFour Thousand Seven Hundred Only
Dr.S.A.Halkude Mr. M.G.Kalyanshetti	Solapur Tollways Pvt.Ltd., Solapur	Evaluation of Soil properties alongwith suggestions	4300	Four Thousand Three Hundred Only
Mr. S.C.Deshmukh, Mr. Ashok Kumar	Sowil Limited, Mumbai	Evaluation of Properties of Ballast alongwith suggestions	18700	Eighteen Thousand Seven Hundred Only
Dr.S.S.Patil, Mr. S.K.Kulkarni		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	2550	Two Thousand Five Hundred Fifty Only
Dr.S.S.Patil, Mr. S.K.Kulkarni	Sterling Engineering Consultancy Services Pvt. Ltd., Pune	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	3500	Three Thousand Five Hundred Only
Mr. C.G.Konapure Mrs. S.S.Dyawarkonda	Strelling & Wilson Ltd.,Electro Mechanical Enginreer,Balewadi Phata,Baner,Pune	Mix Design of Grade M 25 for foundation of Solar Channel(100mmx50mmx6mm) construction of Community Hall at Akkalkot, Solapur	18000	Eighteen thousand Only.
Mr. S.S.Hiremath Mr. S.C.Deshmukh	SVS Projects Pvt. Ltd.,Pune	Evaluation of quality of water alongwith suggestions	2400	Two Thousand Four Hundred Only

Dr.S.S.Patil Mrs. S.G.Ghadage	Swami Viveknand Institute of Technology,Solapur-Barshi Road ,Solapur	Coudcting Practical on UTM machine for second year engineering Swami Viveknand Institute of Technology,Solapur	30000	Thirty Thousand Only.
Dr.S.S.Patil, Mr. S.K.Kulkarni	Cenergy Sk Infradevelopment Pvt. Ltd., Pune	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	8050	Eight Thousand Fifty Only
Mr. C.G.Konapure, Mr. S.B.Thalange	Synergy Infra Consultants Pvt. Ltd., Pune	Evaluation of quality of aggregates alongwith suggestions & Cement	4250	Four Thousand Two Hundred Fifty Only
Dr.S.S.Patil, Mr. S.K.Kulkarni	Triveni Constructions, Solapur	Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	1000	One Thousand Only
Dr.S.S.Patil Mr. P.N.Kore	Ujjani Canal Dn.No.8,Barshi,Solapur	Proof consultancy for revised design of Thrust Beam for rising main Barshi Lift Irrigation Scheme Pump House No1	10000	Ten thousand Only.
Dr.S.S.Patil Mr. P.N.Kore		Ekruxh lift Irrigation scheme house stage-II at Boramani CAD drawing preparation of bolt location already marked on floor of pump house	5000	Five Thousand Only.
Mr. C.G.Konapure, Mr. S.B.Thalange	Office of the Project Manager Unit -32, Construction & Design Services, U.P. Jal Nigam, Nasik	Evaluation of quality of aggregates alongwith suggestions & Cement	6150	Six Thousand One Hundred Fifty Only
Dr.S.S.Patil, Mr. S.K.Kulkarni		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	17300	Seventeen Thousand Three Hundred Only
Mr. C.G.Konapure, Mr. S.B.Thalange	Executive Engineer, Water Resource Department, Solapur	Evaluation of quality of aggregates alongwith suggestions & Cement	4650	Four Thousand Six Hundred Fifty Only
Dr.S.S.Patil, Mr. S.K.Kulkarni		Evaluation of Properties of Cement, Bricks, Steel and Concrete cube strength alongwith suggestions	179450	One Lakh SeventyNine Thousand Four Hundred Fifty Only