

Financial Year	Name of faculty (Chief Consultant)	Client Organization	Title of Consultancy of project	Amount received (in Rupees)	Amount received (in words)
2017-18	Dr.S.S.Patil /Prof.Prasanna Pattar	Chief Officer, Municipal council,Akkalkot	Third Party Technical Audit report of Concrete road from Karanja Chowk to Maindargi Road Naka (Tup Chowk) in Prabhag No.3 (Part-I)for Akkalkot Municipal Council,Akkalkot	77848	Seventy Seven Thousand Eight Hundred fouty Eight
	Dr.S.S.Patil /Prof.S.K.Kulkarni		Third Party Technical Audit report of Concrete road in Paga Chal Under Khasdar Fund (M.P.) Prabhag.No.3 for Akkalkot Municipal Council,Akkalkot	12064	Twelve Thousand Sixty Four

2016-17	Mr. A.S. Gundale	Solapur Municipal Corporation , Solapur	Computer Peripherals Procurement	10000	Ten Thousand Rupees
	Mrs. R.J. Shelke	Kaizen Barcode Pvt. Ltd, Mumbai	Image analysis software module	18000	Eighteen Thousand Rupees
	Mr. P.S. Malge	Rathi Textiles, Solapur	Wages software maintenance	5000	Five Thousand Rupees
	Mr. S.C. Kalshetti	Sudarshan Textiles, Solapur	Solving issues with Drives and Controls	15000	Fifteen Thousand Rupees
	Mr. A.S. Gundale	Tanabana Automation Pvt Ltd. Solapur	Computer network services	7000	Seven Thousand Rupees
	Mr. P. P. Tambe	D&S Systems Pune	Embedded programming for 3 phase inverters	22000	Twenty Thousand Rupees
	Dr. S.R. Gengaje	Airports Authority of India	Testing and calibration of multimeters	600	Six Hundred Rupees
	Mr.M.R.Madki	Solar Electronics, Solapur	Solar powered CCTV Surveillance System	9500	Nine Thousand and Five Hundred Rupees
	Mr. P.D.R.Patnaik	Solar Electronics, Solapur	IOT Solar Power Monitoring System	7500	Seven Thousand and Five Hundred Rupees
	Mr.M.R.Madki	Solapur Muncipal Corporation, Solapur	Third party audit of Integrated Property validation System for solapur city	15000	Fifteen Thousand Rupees

Prof P S R Patnaik	IIHT Ltd, Bangalore (Client Location: Cognizant Chennai Campus)	Training on Azure Development and Infrastructure Design	57600	Fifty Seven Thousand Six Hundred Rupees Only
Dr. B B Deshmukh Prof M A Nirgude	Tata Consultancy Services,Pune	Online Examination - GATE 2017	361682	Three Lakh Sixty One Thousand Six Hundred Eighty Two Rupees Only
Prof. R V Argiddi Prof P S R Patnaik Prof. N S Gajjam	Dr. Vaishampayan Memorial Government Medical College Solapur	Development of Website for Dr. Vaishampayan Memorial Government Medical College Solapur	66120	Sixty Six Thousand One Hundred Twenty Rupees Only
Dr.P.R. Kulkarni	Sam Integrations Pvt. Ltd.	Consultancy For TOC and ISO 9001	82800	Eighty Two Thousand Eight Hundred
Dr.P.R. Kulkarni	Solapur Janata Sahakari Bank,Solapur	Testing Of Stainless Steel Vacuum Hot And Cold Water Bottle.	5750	Five Thousand Seven Hundred Fifty
Dr.P.R. Kulkarni	Solapur Municipal Corporation	Consultancy Of Garbage Rate Evaluation	20000	Twenty Thousand
Dr.P.R. Kulkarni	Sms Limited	Turning And Facing of Ms Bar As Par Drawing	2675	Two Thousand Six Hundred and Seventy Five
Dr.P.R. Kulkarni	Sutraway Engineering Works	Testing of Household Zigzag Sewing Machine	1725	One Thousand Two Hundred and Twenty Five
Dilip Doshi	H.N.College Of Commerce,Solapur	Maintenance and Repairs of Sangam Type Cupboards	15600	Fifteen Thousand Six Hundred
Dr. S.A.Halkude Dr.M.G.Kalyanshetti	Public Health Engineer,Solapur Municipal Corporation , Solapur	Evaluation Of Safe Bearing Capacity for proposed construction of ESR of 1.6MLD capacity under Amrut Abhiyan Scheme near Dayanand College. Solapur	54050	Fifty Four Thousand Fifty Only
Dr. S.S.Kashid, Ms. L.A.Pasnur	Aagam Readymix Pvt. Ltd. "MARUT" 150, Railway lines, Solapur	Evaluation of Ready mix mortar along with suggestions	3220	Three Thousand Two Hundred Twenty Only
Mr. P.V.Dhanshetti	ABB Limited, Solapur	Evaluation of Tor Steel along with suggestions	2500	Two Thousand Five Hundred Only
Mr.C.G.Konapure	Airport Authority of India, Hotgi road, Solapur-413224	Evaluation of aggregate properties along with suggestions	3220	Three Thousand Two Hundred Twenty
Mr.C.G.Konapure	AMAR RAJA Power system LTD. 1-18,1,AMR,NR, Nanakrambadi, Gachibowli, Hyderabad-500032	Concrete Mix Design proportion of Grade M25 & M20	24150	Twenty Four Thousand One Hundred Fifty

Dr. S.S.Patil Dr. S.S.Kashid	Assistant Engineer Gr-I Ujjani Canal, Solapur	Evaluation of Concrete Cube Strength along with suggestions	4370	Four Thousand Three Hundred Seventy
Mr.C.G.Konapure	B.G. Shirke Construction Tech. Pvt. Ltd. Solapur	Evaluation of aggregate properties along with suggestions	2400	Two Thousand Four Hundred Only
Mr. P.V.Dhanshetti	Bhagyalaxmi Rolling Mill Pvt. Ltd., Jalna Site- Baburao Gurappa Mehre, Jule Solapur	Evaluation of Tor Steel along with suggestions	5000	Five Thousand Only
Mr.C.G.Konapure, Mr. B. P. Patil	Chettinad Cement Corporation Ltd., Solapur	Concrete Mix Design proportion for various grades of Concrete	35000	Thirty Five Thousand Only
Mr. B. P. Patil, Mr. P.V.Dhanshetti		Evaluation of aggregate properties along with suggestions	7000	Seven Thousand Only
Dr. S.S.Patil Mr. B. P. Patil	Deputy Engineer Lower Terana Canal Sub Dn No 4, Nilanga	Evaluation of Concrete core strength along with suggestions	11730	Eleven Thousand Seven Hundred Thirty Only
Dr. S.S.Patil Mr. B. P. Patil		Evaluation of Concrete core strength along with suggestions	6210	Six Thousand Two Hundred Ten Only
Dr. M. G. Kalyanshetti Mr. S. B. Javheri		Evaluation of properties of soil along with suggestions	25990	TwentyFive Thousand Nine Hundred Ninety Only
Dr. M. G. Kalyanshetti Mr. S. B. Javheri		Evaluation of properties of soil along with suggestions	8000	Eight Thousand
Dr. S.S.Kashid, Ms. L.A.Pasnur	Dhansmruti Buildcon Pvt. Ltd. Solapur	Evaluation of Concrete Cube Strength along with suggestions	9550	Nine Thousand Five Hundred Fifty Only
Mr. Ashok Kumar, Mr. S.C.Deshmukh	The Executive Engineer, Public Works Division No.2, Solapur -	Mix formula and Bituminous Mix Design	48590	Fourty Eight Thousand Five Hundred Ninety Only
Ms.L.A.Pasnur Mr. P.V.Dhanshetti	Gaurav Developers, Solapur	Evaluation of Concrete Cube Strength along with suggestions	6975	Six Thousand Nine Hundred Seventy Five Only

Mr.C.G.Konapure, Mr. B. P. Patil	Shri Sai Samarth Construction, S 3,4 Rajyog Heights, Mahavir Market Faltan Galli, Solapur	Evaluation of aggregate properties along with suggestions	8970	Eight Thousand Nine Hundred Seventy Only
Mr. S.B. Gosavi Mr.Ashok kumar	Shri. S. M. Autade Pvt. Ltd., Solapur	Permenent adjustment of Dumpy Level along with suggesions	3450	Three Thousand Four Hundred Fifty Only
Dr. S.S.Patil Mr. Ashok Kumar Dr. S.S.Kashid Mr. B.P.Patil Mr. P.V.Dhanshetti	Chief Officer Maindargi, Muncipla Council, Maindargi	Third party Technical Audit report Construction of Development of Halhalli road from Akkalkot Road to Masjid at Maindargi	73389	Seventy Three Thousand Three Hundred Eighty Nine Only
		Third party Technical Audit report Construction concrete road & one side gutter infront of Panchkshari Mandir at Maindargi	35124	ThirtyFive Thousand One Hundred Twenty Four Only
		Third party Technical Audit report Construction of Samaj Mandir, H.No-212,7 Bhim Nagar at Maindargi	10000	Ten Thousand Only
		Third party Technical Audit report Construction of 5 set General WC unit with septic tank near Kamalaves at Maindargi	10000	Ten Thousand Only
Mr. S.C.Deshmukh Mr. A.V.Unhale	GEA Cooling Tower Technologies (I) Pvt Ltd. Chennai, Worksite-NTPC Ltd., Solapur	Evaluation of water quality alongwith suggestions	2200	Two Thousand Two Hundred Only
Mr.Ashok Kumar Mr.S.C.Deshmukh	Godavari Industrial Traders, 1st Floor, MGM House, Budhawar Peth Solapur	Evaluation of subgrade soil alongwith suggestions	7820	Seven Thousand Eight Hundred Twenty Only
Mr.C.G.Konapure Mr. P.V.Dhanshetti	Gramsevak, Sidhapur Grampanchyat Tal-mangalwedha, Dist -Solapur	Evaluation of Quality of Concrete Cast by Non Destructive Testing of RCC ESR at Mauje Siddhapur Tal- Mangalwedha Solapur	34000	Thirty Four Thousand Only

Dr. S.S.Kashid Ms. L.A.Pasnur	Gubbi Parking Tiles, Solapur	Evaluation of strength properties of paver block alongwith suggestions	1265	One Thousand Two Hundred Sixty Five Only
Mr. P.V.Dhanshetti	Halko Infra Projects C/O. The City Engineer, SMC., Solapur	Evaluation of Concrete Cube Strength along with suggestions	1200	One Thousand Two Hundred Only
Mr. Ashok Kumar, Mr. S.C.Deshmukh, Mr. S.B.Javheri	Heritage Infra Projects, Solapur	Evaluation of properties of aggregates, cement, steel and soil alongwith suggestions	12800	Twelve Thousand Eight Hundred
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Hinglajmaata Naagari Sahkari Pathsanstha Maryadit, Solapur	Evaluation of Concrete Cube Strength along with suggestions	1150	One Thousand One Hundred Fifty Only
Mr. Ashok Kumar, Ms. L.A.Pasnur, Mr. P. V. Dhanshetti	IL & FS Engineering Services, Kurduwadi	Evaluation of properties of aggregates, cement, steel and soil alongwith suggestions	19900	Nineteen Thousand Nine Hundred Only
Mr. B. P. Patil, Mr. P.V.Dhanshetti, Ms. L.A.Pasnur	IMP Reality Pvt. Ltd, Solapur	Evaluation of properties of aggregates, cement, steel and soil alongwith suggestions	18200	Eighteen Thousand Two Hundred Only
Mr.Ashok Kumar Mr.S.C.Deshmukh	IRCON International Limited, Solapur	Evaluation of aggregate properties along with suggestions	6440	Six Thousand Four Hundred Fourty Only
Mr. P.V.Dhanshetti Ms. L.A.Pasnur Ms. S.G. Ghadage	ISGEC Heavy Engineering Ltd.C/O. Shri Bhima Shankar Co-operative sugar factory, Tal- Indi Dist:- Vijaypur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	27350	Twenty Seven Thousand Three Hundred Fifty Only
Mr. S.C.Deshmukh Mr. A.V.Unhale	IVRCL Ltd (NTPC Ltd), Solapur	Evaluation of water quality alongwith suggestions	9100	Nine Thousand One Hundred Only
Mr.C.G.Konapure	Jay Construction, Sudeep complex, First floor, near Mahila Hospital, Hotgi Road, Solapur	Concrete Mix Design proportion of Grade M25 & M20	24150	Twenty Four Thousand One Hundred Fifty
Mr.Ashok Kumar Mr.S.C.Deshmukh	Jyoti Construction, Kurduwadi	Evaluation of aggregate properties along with suggestions	4500	Four Thousand Five Hundred Only

Dr. S.A.Halkude Dr.M.G.Kalyanshetti Mr. S. B. Javheri	SMSIL- MBPL- BRAPLL (JV) Voyant Solutions Pvt. Ltd., Akkalkot Road, Railway ;colony, Akkalkot	Evaluation of properties of soil along with suggestions	5800	Five Thousand Eight Hundred Only
Dr. S.A.Halkude Dr.M.G.Kalyanshetti		Evaluation Of Safe Bearing Capacity of soil	11400	Eleven Thousand Four Hundred Only
Mr.Ashok Kumar Mr.S.C.Deshmukh		Evaluation of strength properties of subgrade soil, blanketing material along with suggestion	9625	Nine Thousand Six Hundred Twenty Five Only
Mr.C.G.Konapure Mr. P.V.Dhanshetti	Shri siddheshwar cold storage, Solapur	Preliminary site investigation for Non Destructive Testing testing	3450	Three Thousand Four Hundred Fifty Only
Mr. P.V.Dhanshetti Ms. L.A.Pasnur Ms. S.G. Ghadage	Mantri Realty, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1750	One Thousand Seven Hundred Fifty Only
Mr. P.V.Dhanshetti Ms. L.A.Pasnur Ms. S.G. Ghadage	Mhetras Construction Company Plot no-66, Datta Nagar, Near Kumthekar Hospital, Jule Solapur, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1100	One Thousand One Hundred Only
Dr. S.S.Kashid Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Motilal Builder & Developers,City Pride 1st Floor shop no 101,Ashok Chowk,Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2300	Two Thousand Three Hundred Only
Mr. C.G. Konapure Mrs.T. Meenakshi		Concrete Mix design of Grade M25 at Motilal Pride at Paccha Peth,Solapur	16100	Sixteen Thousand One Hundred Only
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Naresh Steel Industries Pvt. Ltd. Mumbai	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2070	Two Thousand Seventy Only
Dr. S.S.Kashid Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Pratibha Constructions Engineers and Contractors (I) Pvt. Ltd., Kolhapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2760	Two Thousand Seven Hundred Sixty Only
Mr. C.G. Konapure, Mrs. L.A.Pasnur, Mr. B. P. Patil		Concrete Mix Design of Grade M25, M20 & M15	34500	Thirty Four Thousand Five Hundred Only
Mr. P.V.Dhanshetti	Quality Enterprises, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	500	Five Hundred Only

Ms. L.A.Pasnur	Rahul Developers, Hotagi Road Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	575	Five Hundred SeventyFive
Mr. S.C.Deshmukh Mr. A.V.Unhale	Rail Vikas Nigam Limited Sawalgi Camp, opposite sawalgi Railway station Gulbarga C,0- SMS Ltd,Nagansur Tal- Akalkot,Solapur	Evaluation of water quality alongwith suggestions	2500	Two Thousand Five Hundred
Mr. Ashok Kumar, Ms. L.A.Pasnur, Mr. P.V.Dhanshetti		Evaluation of properties of aggregates, water, cement, steel along with suggestions	19950	Nineteen Thousand Nine Hundred Fifty
Mr. C.G. Konapure, Mr.S.B.Thalange, Mr. B. P. Patil		Concrete Mix design of Grade M50, M45, M40, M35, M30, M25 & M20 at doubling of Akkalkot road -Golbarga Hotgi Gulbarga section	69000	Sixty Nine Thousand
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Saka & Boddu Associates,Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1800	One Thousand Eight Hundred
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	National Highway Authority of India (Ministry of Road, Transport & Highway) Project Implementation Unit Solapur.	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	3795	Three Thousand Seven Hundred NinetyFive
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Shri Mallikarjun Bankaoure, Pune	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2300	Two Thousand Three Hundred
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Central Railway, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	32200	ThirtyTwo Thousand Two Hundred
Mr. Ashok Kumar, Mr. S.C.Deshmukh		Evaluation of properties of railway ballast material alongwith suggestions	118600	One Lakh Eighteen Thousand Six Hundred
Mr.C.G.Konapure Mr.Ashok Kumar Mr.S.C.Deshmukh	New Gurukrupa Stone Crusher Industries -Solapur	Evaluation of Concrete Cube Strength , cement, steel and aggregate along with suggestions	9350	Nine Thousand Three Hundred Fifty
Mr. P.V.Dhanshetti Ms. L.A.Pasnur	Om Construction, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1725	One Thousand Seven Hundred TwentyFive

2016-17

Mr.C.G.Konapure Mr. P.V.Dhanshetti	Pradip Padghe 33,3,111, New Pachhha Peth, Opp. old Kumbhari Naka, Solapur	Preliminary site investigation for Non Destructive Testing testing	9775	Nine Thousand Seven Hundred SeventyFive
Mr.C.G.Konapure Mr. P.V.Dhanshetti	Prop Wizz Infra LLP, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	4500	Four Thousand Five Hundred
Ms.L.A.Pasnur Mr. P.V.Dhanshetti	Pragati Construction Flat no 201,A Wing,Shivaji Acrade,Pune Solapur Road,Hadapsar Pune	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	3105	Three Thousand One Hundred Five
Mr. C.G. Konapure Mr.S.B.Thalange		Concrete Mix designof Grade M25 at Solapur Textile Cluster Ltd, Solapur	16000	Sixteen Thousand
Mr.Ashok Kumar Mr.S.C.Deshmukh	Patil & Company, Solapur	Evaluation of aggregate properties along with suggestions	2000	Two Thousand
Mr. P.V.Dhanshetti	Solapur Construction, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1000	One Thousand
Mr.Ashok Kumar Mr.S.C.Deshmukh Mr.C.G.Konapure	SPECTRUM Techno-Consultants (P) Ltd, Vashi, Navi Mumbai	Evaluation of strength properties of subgrade soil, blanketing material along with suggestion	34845	ThirtyFour Thousand Eight Hundred FourtyFive
Mr. Ashok Kumar, Ms. L.A.Pasnur, Mr. P.V.Dhanshetti		Evaluation of properties of aggregates, cement, steel along with suggestions	18975	Eighteen Thousand Nine Hundred SeventyFive
Mr. Pattar P. M. Mr. P.V.Dhanshetti	Speed Dry Mix India Pvt. Ltd. c-30, MIDC., Chincholi, Solapur	Evaluation of Concrete Cube Strength , cement, steel along with suggestions	2760	Two Thousand Seven Hundred Sixty
Mr. S.C.Deshmukh Mr. A.V.Unhale	Sr. Manager (FQA) Solapur STPP,NTPC Ltd C/O. M,s.IVRL Ltd	Evaluation of water quality alongwith suggestions	30330	Thirty Thousand Three Hundred Thirty
Mr. S.C.Deshmukh Mr. A.V.Unhale	KEC International, Pune	Evaluation of water quality alongwith suggestions	2200	Two Thousand Two Hundred
Dr. S.A.Halkude Dr.M.G.Kalyanshetti	Kirloskar Ferrous Limited, Shivshahi Solapur, C/O. Denasa Buildcon - Nigadi, Pune	Evaluation of properties of soil along with suggestions	2415	Two Thousand Four Hundred Fifteen
Dr. S.A.Halkude Dr.M.G.Kalyanshetti Mr. S. B. Javheri	ISC Projects Pvt. Ltd. Solapur	Evaluation of properties of soil along with suggestions	5405	Five Thousand Four Hundred Five

Dr.M.G. Kalyanshetti, Mr.Ashok Kumar, Mr.P.V.Dhanshetti	ISC Projects Pvt. Ltd. Solapur	Evaluation of properties of aggregates, cement and soil along with suggestions	16885	Sixteen Thousand Eight Hundred EightyFive
Dr. S.S.Patil, Mr. P.V.Dhanshetti	Sub Divisional EngineerMJP Sub Division no.2, Solapur	Proof Checking of R.C.C. design and drawing of 50,000 liters capacity at Siddheshwar Van Vihar Nehru Nagar,Solapur	9000	Nine Thousand
Dr. S.S.Patil Mr. S.K.Kulkarni Mr. B. P. Patil	Chief Officer,Akkalkot Muncpal Council Akkalkot	Third party Technical Audit report ofR.C. concrete road from By-pass Namaj Katta to Muncpal Boundry Bhasalegaon Road at Akkalkot Muncpal Council,Akkalkot	44036	FourtyFour Thousand ThirtySix
		Third Party Technical Audit providing bituminos tar road from A-1 chowk to Shri Bag House for Akkalkot Muncpal Council,Akkalkot,Solapur	60700	Sixty Thousand Seven Hundred
Mr. S.C. Deshmukh Mr. A. V. Unhale		Third party Technical Audit report of concrete road from Burabui Rathod House to Vinod Tathod House at Akkalkot Muncpal Council.Akkalkot	42787	Forty two Thousand Seven Hundred Eighty Seven
Dr. S.A.Halkude Dr.M.G.Kalyanshetti		Evaluation Of Safe Bearing Capacity for proposed construction of Auditorium For Virakta Math at Akkalkot Solapur	47150	FourtySeven Thousand One Hundred Fifty
Dr.S.S.Patil		Third party Technical Audit report of concrete road from Maindargi Road Virakta Math to Manik Peth General W.C. Unit Prabhag No.2 at Akkalkot Muncpal Council,Akkalkot	84355	Eighty Four Thousand Three Hundred Fifty five

Dr.S.A.Halkude Dr.S.S.Patil Mr. S.C. Deshmukh Mr. A. V. Unhale	Maharashtra Pollution Control Board, Mumbai	National Ambient Air Quality Monitoring Project (NAMP)	610000	Six lac ten thousand
Mr. S.B. Gosavi Mr.Ashok kumar	The Commissioner Solapur Muncipal Corporation,Solapur	Rate evaluation for Tuljapur road dumping yard on PPP basis for Project6 area ,Solapur	20000	Twenty Thousand
Dr.M.G.Kalyanshetti Mr. S.B.Javheri	Yashodhara Super Speciality Hospital, 6158, Siddheshwar Peth, Near Zilla Parishad, Solapur-413003	Study of bore log details at Yashodhara Super Speciality Hospital Building Unit II at Solapur	20000	Twenty Thousand
Mr. A.V.Unhale. Mr. S.C.Deshmukh		Evaluation of water quality alongwith suggesions	2500	Two Thousand Five Hundred
Dr. M.G.Kalyanshetti	Pandhe Infracons Pvt.Ltd. (PIPL),157,C,Railway Lines,Solapur	Site Visit for Soil Investigation at Kumbhari Solapur	5000	Five Thousand
Mr. C.G. Konapure Mr.P.V.Dhanshetti	Vai. Zenduji Maharaj Belikar, Pandharpur	Concrete Mix design of Grade M25	14000	Fourteen Thousand
		Evaluation of Concrete Cube Strength , cement, steel along with suggestions	1300	One Thousand three hundred
Mr. C.G. Konapure Mr.B.P.Patil	Executive Engineer Rural Water Supply Scheme division Z.P. Solapur	Proof Checking of ESR 81000 liters capacity at Jawaharlal Nehru VastiGruh,Solapur	9000	Nine Thousand
	Falcon Enterprises Kumar Chowk,Forest,Solapur	Non Destructive Testing test report using Rebound Hammer of RCC clumn for Blumoon site at Solapur	3000	Three Thousand
Mr. C.G. Konapure Mrs. L.A.Pasnur	Executive Engineer Maharashtra Jeevan Pradhikaran Division Solapur	Proof Checking for Checking of R.C.C. design of approach bridge to Jack well for Bhose water supply Tal-Mangalwedha,Solapur	8000	Eight Thousand

Mr. C.G. Konapure	Sub Divisional EngineerMJP Sub Division,Pandharpur,Solapur	Proof Checking for Checking of R.C.C. design of Construction of Transformer & Pannel Board at Bhoze Pradeshik Water Supply Tal-Mangalwedha,Solapur	6325	Six Thousand Three Hundred Twenty Five
	Shri Chitra Mandir ,Gore Complex, Osmanabad.	Evaluation of Quality of Concrete Cast by Non Destructive Testing at Shri Chitra Mandir theater at Osmanabad.	10000	Ten Thousand
Mr. C.G. Konapure Mr.S.B.Thalange	Sathipal Engineers (INDIA) Limited, Chennai, Tamilnadu Site at Bhimashankar SSKN, Indi Vijaypur	Concrete Mix designof Grade M35 & M25 at Bhimashankar SSKN, Indi Vijaypur	25000	Twenty Five Thousand
	Sub Divisional EngineerPWD Sub-Divn.,Barshi	Non Destructive Testing test report ofAbutment and Piers of Major Bridge at km 28,00 to 29,00 Barshi Solapur road.	43700	Forty Three Thousand Seven Hundred
	Techmates Marketing Services, No.9,Mahatma Gandhi Bhavan,College Road Behind Hotel Sanman,Belgaum	Mix design of Grade M25 at Bhimashankar Sahakari Sakhar Karkhana at Dhulkhed.	13800	Thirteen Thousand Eight Hundred
Mr. Ashok Kumar Mrs. S. P. Pasnur Mr. S.C.Deshmukh Mr. S.B.Gosavi	Divisional Engineer S.T.Osmanabad	Mix formula and Bituminous Mix Design Reasphalating by providing 7mm thick BBMwith 50mm thick BM and 25mm thck SDBM at Omerga Bus Station in Osmanabad Division	31200	Thirty One Thousand Two Hundred
		Mix formula and Bituminous Mix Design Reasphalating by providing 7mm thick BBMwith 50mm thick BM and 25mm thck SDBM at Omerga Bus Station in Osmanabad Division	71600	Seventy one thousand six hundred

Ms. L. A. Pasnur Mr. P. M. Pattar	Srishail S. Hatture 801,1, Mallikarjun Nagar, Hatture Vasti, Hotgi Road, Solapur	Evaluation of Tensile strength test on steel bars along with suggestions	3000	Three Thousand
Mr. P. M. Pattar	Vijaykumar Sidram Sarsambi, Solapur	Evaluation of compressive strength on concrete cubes along with suggestions	1600	One Thousand Six Hundred
Dr. M. G. Kalyanshetti	Sudhir Buildtech Pvt. Ltd. Solapur	Evaluation of properties of soil along with suggestions	500	Five Hundred
Mr. Ashok Kumar Mr. A. V. Unhale	NTPC Limited Solapur	Evaluation of properties of railway ballast material, water testing, cement testing concrete cube testing along with suggestions	36905	ThirtySix Thousand Nine Hundred Five
Mr. S.C.Deshmukh Mr. A.V.Unhale	STPL (Solapur Tollways Prv Ltd) Registered office- Mirania Garden-2, plot no-321, 11,1C Topsia Road (East), Kolkata-700046	Evaluation of water quality along with suggestions	2530	Two Thousand Five Hundred Thirty
Dr. S. S. Patil Ms. L. A. Pasnur	Sub Divisional Engineer Ujjani Canal Sub Div. No. -61 Ashati	Evaluation of compressive strength on concrete cubes along with suggestions	4600	Four Thousand Six Hundred
Mr. P. V. Dhanshetti Mr. B. P. Patil		Evaluation of properties of cement, testing of concrete cube testing of steel along with suggestions	38812	ThirtyEight Thousand Eight Hundred Twelve
Dr. S. S. Patil Ms. L. A. Pasnur	City Engineer Solapur Municipal Corporation, Solapur	Evaluation of compressive strength on concrete cubes along with suggestions	8765	Eight Thousand Seven Hundred Sixty Five
Mr. P. V. Dhanshetti	Zonal Officer, Zone Office No-8, SMC., Solapur	Evaluation of compressive strength on concrete cubes along with suggestions	1200	One Thousand Two Hundred
Mr. B. P. Patil Ms. L. A. Pasnur	Yashraj Construction, Solapur	Evaluation of Tensile strength test on steel bars along with suggestions	3000	Three Thousand
Mr. S.C.Deshmukh Mr. A.V.Unhale	The Indure Pvt. Ltd.-Solapur	Evaluation of water quality along with suggestions	2200	Two Thousand Two Hundred

Mr. B. P. Patil Ms. L. A. Pasnur	Sujoy Bhoumik, Sahyadri Shopping complex, Shop no72, Employment Chowk, Solapur	Evaluation of compressive strength on concrete cubes and Tensile strength test on steel bars along with suggestions	5175	Five Thousand One Hundred SeventyFive
Dr. M. G. Kalyanshetti Mr. S. B. Javheri	Sub Divisional Officer, Modnimb	Evaluation of properties of soil along with suggestions	4500	Four Thousand Five Hundred
Dr. S. A. Halkude Dr. M. G. Kalyanshetti	Sub divisional officer, Bhima development No 4, Shripur	Evaluation Of Safe Bearing Capacity for proposed construction.	58650	FiftyEight Thousand Six Hundred Fifty
Mrs. S. P. Pasnur Mr. P. M. Pattar	Sub Divisional Engineer MJP Sub Division, Sangola C/O. Shri Sai Samarth Construction	Evaluation of properties of cement along with suggestions	15640	Fifteen Thousand Six Hundred Fourty
Dr. S. S. Patil Ms. L. A. Pasnur	Synergy Infra Ltd., Solapur	Evaluation of compressive strength on concrete cubes along with suggestions	1175	One Thousand One Hundred Seventy Five
Dr. M. G. Kalyanshetti Mr. S. B. Javheri	Sub divisional engineer Minor Irrigation(Local area) Dn 1- Kurduwadi	Evaluation of properties of soil along with suggestions	6210	Six Thousand Two Hundred Ten
Mr. C.G. Konapure Mrs.T. Meenakshi	SMS Limited Nagansur Railway Station, Guravwadi Nagansur.	Evaluation of Quality of Concrete Cast by Non destructive test of concrete columns	68000	Sixty Eight Thousand
Mr. Ashok Kumar, Mr. S.C.Deshmukh		Evaluation of properties of railway ballast along with suggestions	15445	Fifteen thousand four hundred forty five Only
Dr. S. S. Patil Ms. L. A. Pasnur		Evaluation of properties of coarse aggregates, fine aggregates, cement, steel along with suggestions	8517	Eight Thousand Five Hundred seventeen Only
Dr. M. G. Kalyanshetti Mr. S.B. Javheri		Evaluation Of Safe Bearing Capacity for proposed construction.	5600	Five Thousand Six Hundred Only
Dr. S. S. Patil Ms. L.A. Pasnur		Testing of cement, concrete cubes along with suggestions	6500	Six Thousand Five Hundred

Mr. Ashok Kumar, Mr. S.C.Deshmukh		Evaluation of properties of railway ballast along with suggestions	16690	Sixteen Thousand Six Hundred Ninty
Dr. M. G. Kalyanshetti Mr. S.B. Javheri		Evaluation Of Safe Bearing Capacity for proposed construction.	11760	Eleven Thousand Seven Hundred Sixty Only
Mr. C.G. Konapure Mr.S.B.Thalange Mrs.T. Meenakshi		Evaluation of Quality of Concrete Cast by Non destructive test of concrete columns	68000	Sixty Eight Thousand Only
Dr. S.S.Patil Dr.S.S. Kashid Mr. S.B.Gosavi Mr.P.S.R.Patnaik Mr. R.B.Argiddi Mr. Venkatesh Bingi Mr. L.M.R.J Lobo Mr. S C Deshmukh	Commissioner, Solapur Muncipal Corporation, Solapur	Third party audit of Integrated Property validation System for solapur city	200000	Two Lakh Only

Mr. R.N. Chavan	Reanu Microelectronics, Pune	FPGA based Sigma Delta ADC	8000	Eight Thousand Rupees
Mr. S.C. Kalshetti	Sudarshan Textiles	PLC Programming	6000	Six Thousand Rupees
Mr. S.C. Kalshetti	Industrial Trading Company, House of Pneumatics, Pune	Product mark identification system using PLC	5000	Five Thousand Rupees
Mrs .V.S. Patki	Accurate Technocraft, Pune	Solving issues with Drives and Controls	8000	Eight Thousand Rupees
Mr. P.S. Malge	Rathi textiles, Solapur	Wages software maintenance	5000	Five Thousand Rupees
Mr. A.S. Gundale and Mr. P.P. Tambe	Solapur Municipal Corporation , Solapur	Computer Peripherals Procurement	10000	Ten Thousand Rupees
Dr. S..R. Gengaje and Mrs. R.J. Shelke	Airports Authority of India	Testing and calibration of multimeters	400	Four Hundred Rupees
Mr. G.P.Jain	Shivam Sales and Services, Solapur	PCB Design	5000	Five Thousand Rupees
Mr.M.R.Madki	Solapur Municipal Corporation	Installation of CCTV at Zoo, Solapur	13000	Thirteen Thousand Rupees
Mr.M.R.Madki	Solar Electronics, Solapur	Solar Power Grid System	8500	Eight Thousand and Five Hundred Rupees

Mr. P.D.R.Patnaik	Solar Electronics, Solapur	Design of Hybrid Solar Inverter Circuit for Homes	7500	Seven Thousand and Five Hundred Rupees
M A Nirgude B B Shaharkar	Walchand College of Arts and Science	Maintenance of Computers and Peripherals	11250	Eleven Thousand and two hundred fifty only
M A Nirgude S K Karpe	Kasturbai College of Education and Adyapak Vidyalaya	Maintenance of Computers and Peripherals	7200	Seven thousand and two hundred only
R V Argiddi L.M.R.J. Lobo	Solapur Muncipal Corporation	Third party technical audit for Computer and Peripheral Purchase	9500	Nine thousand and Five hundred only
Shrinivasan Patnaikuni D.P.Gandhmal	Kasturbai College of Education and Adyapak Vidyalaya	Security Audit of Website	7500	Seven thousand and Five hundred only
Dr.P.R. Kulkarni S.S. Bansode	Shri Renuka Engineering Services	Internal Audit For ISO 9001:2008	18000	Eighteen Thousand
Dr.P.R. Kulkarni G. B. Agalave	Shri Renuka Engineering Works	Internal Audit For ISO 9001:2008	28000	Twenty Eight Thousand
Dr.P.R. Kulkarni Dr.B.B. Deshmukh	Balkrishna Engineering Rajkot	Testing & Inspection of Flour Mill	1500	One Thousand Five Hundred
Dr.P.R. Kulkarni P.V. Salunke	H.N.College of Commerce,Solapur	Consultancy,Training,Follow Up For Implementation And Audit on 5S	20000	Twenty Thousand
Dr.P.R. Kulkarni D.J.Doshi	Mahila Va Bal Kalyan Vibhag,Zilla Parishad ,Solapur	Testing of Flour Mill	7000	Seven Thousand
Dr.S.A.Halkude,Dr.S.S .Patil,Dr.S.S.Kashid,S. B.Gosavi,S.C.Deshmukh, Shrinivasan Patnaikuni R.V.Argiddi	The Commissioner ,Solapur Municipal Corporation,Solapur	Third Party Technical Audit of Integrated Property Valuation Solution(IVPS)for Solapur Municipal Corporation,Solapur	200000	One Lakh only
Dr.S.A.Halkude,Dr.S.S .Patil,Dr.S.S.Kashid,S. B.Gosavi,S.C.Deshmukh	The Commissioner ,Solapur Municipal Corporation,Solapur	Third Party Technical Audit of Integrated Property Valuation Solution(IVPS)for Solapur Municipal Corporation,Solapur	100000	One Lakh only
Prof C.G.Konapure L.A.Pasnur	Rural Water Supply,Zilla Parishad ,Solapur (Mouje Modnimb)	Checking of RCC Design and Drawing of ESR of 235000 liters capapcity at Mouje Modnimb Rurall Water Supply Ta Madha Dist Solapur	12000	Twelve Thousand Only.

S.S.Patil S.S.Dyawarkonda	Maharashtra Jeevan Pradhikaran ,Division Buldhana, (The Indian Hume Pipe,Jalgaon Jamod))	Proof Checking of Construction of RCC design for 2 lac liters capacity Raw water sump at Jalgaon Jamod and 140 villages RRWS scheme Tal Jalgaon Jamod and Sangampur Dist Buldhana	10000	Ten thousand Only.
S.B.Javheri S.P.Pasnur	Swami Samarth Construction Company,Maroli	Proof consultancy of Structural Design & Drawing of ESR capacity 10000 liters at Maroli Tal Mangalvedha District Solapur	10000	Ten thousand Only.only
S.S.Patil P.N.Kore	Maharashtra Jeevan Pradhikaran ,Division Buldhana, (The Indian Hume Pipe,Jalgaon Jamod))	Proof consultancy of Structural Design & Drawing of RCC design for 2 lac liters raw water sump at Jalgaon Jamod and 140 villages RRWS scheme Tal Jalgaon Jamod and Sangrampur Dist Buldhana	12000	Twelve Thousand Only.
C.G.Konapure S.B.Thalange	M/s. Secretary, Local Committee, Damani Vidya Mandir,Solapur.	Non-Destructive test report on Columns of Damani Vidya Mandir, Solapur.	5000	Five Thousand Only.
	Shrimad Veershail Mahajan Sabha (Trust)Solapur	Non-Destructive test report on Dining hall of Lingshetty Mangal Karyalaya, Solapur.	10000	Ten thousand Only.
	Arakal Udyog, 155/2B,Gandhi Nagar, Akkalkot Road,Solapur	Non-Destructive test report on two columns of Arakal Udyog towel factory at 155/2B, Gandhi Nagar, Akkalkot Road, Solapur.	4000	Four Thousand Only.
	Gramsevak Grampanchayat Agalavewadi Taluka:- Sangola District : Solapur	Non-Destructive test report of R.C.C. ESR at Agalavewadi Tal: Sangola, District :Solapur	17000	Seventeen Thousand Only.
	M/S. Rajesh C. Shah 135, Shukrawar Peth,Solapur.	Non-Destructive test report on Columns and Beams of the building structure "Chatur" Appartment at CTS No- 153+154/1, Geeta nagar, Jule Solapur, Solapur Solapur.	6000	Six Thousand Only.

C.G.Konapure B.P.Patil	M/s.Falcon Enterprises, 25-A,KumarChowk Forest,Solapur	Non-Destructive test report of column steel indetification	7500	Seven thousand five hundred Only.
C.G.Konapure Ashok Kumar	Rural Water Supply,(Z.P.) Sub division, Solapur(Korsegaon)	Non-Destructive test report of R.C.C. ESR at Mauje Borale Tal: Mangalwedha, District :Solapur	15000	Fifteen Thousand Only.
C.G.Konapure S.S.Dyawarkonda	Bushra Construction, Shop No.3,Shanoor Complex,514,Bhawani Peth,Pune- 411042 (Kumbhari)	Mix Design of Garde M25 Asiatic Co-operative Power Looms Textile Ltd at village Kumbhari, Dist. Sholapur Maharashtra.	30000	Thirty Thousand Only.
	Central Railway, M/s. Aquachem Enviror Engineers Pvt. Ltd,Pro.M.A.Naik,Managing Director,5th &6th floor,sunvision opp.ING Vyasya bank, Hanumant road,ville parle(E) Mumbai-	Mix Design of Garde M30 Provision of water recycling plant of 0.5 MLD capacities at Solapur station.	20000	Twenty Thousand Only.
C.G.Konapure S.C.Deshmukh	Godawari Industrial Traders,MGM House, First floor,Opp.to Nila Nagar,Budhawar peth,Solapur41300	Concrete Mix design of Grade M30 and M20 for Hotagi- Gulbarga doubling Project.	24000	Twenty Four Thousand Only.
Dr.S.A.Halkude M.G.Kalyanshetti	Pune Grahnirman & Khsetra vikas Mandal Solapur (40 row houses @ barshi)	Evaluating of Safe Bearing Capacity For Proposed construction of 40 Row Houses at Gat No.1088 ,Barshi Solapur.	42000	Fourty two Thousand Only.
	Yashodhara Super Speciality Hospital Pvt Ltd-Unit II, Solapur	Intermediate report for bearing capacity of strata based on bore log details.	25000	Twenty five Thousand Only.
M.G.Kalyanshetti	Somani Evergreen knits Ltd. Plot No.K-1,Chicholi MIDC ,Solapur	Evaluating of Safe Bearing Capacity For Proposed construction of Effluent treatment plant of capacity 600M3/day at Plot No K-1 Chincholi M.I.D.C.,Solapur	43000	Fourty three Thousand Only.

S.B.Javheri	Maharashtra Institute of Technology, Pune (Educational bldg. at Vishwashanti Gurukul,Vakhari, Solapur	Carrying out necessary testing in our laboratory on soil samples collected during the site. Interpretation of result and preparation of detailed report for evaluation of safe bearing capacity.	41000	Fourty one Thousand Only.
Dr.S.S.Patil Dr.S.S.Kashid	Maindargi Municipal Council,Maindargi	Third Party Technical Audit report for providing of both side gutter from Akkalkot Naka shri Maruti Mandir to Dodamani House via Naganna Durgi House Chand Lukade for MMC Maindargi	17834	Seventeen Thousand eight Hundred and thirty four Only.
Dr.S.S.Patil Arun Unhale	Maindargi Municipal Council,Maindargi, Tq; Akkalkot Dist :Solapur	Third Party Technical Audit report for providing concrete Road from Akkalkot Naka shri Maruti Mandir to Dodamani House via Naganna Durgi House Chand Lukade for MMC Maindargi	17185	Seventeen Thousand one Hundred and Eight five Only.
Dr.S.S.Patil S.B.Gosavi	Solapur Municipal Corporation,Solapur (The internal road works executed by PWD for SMC Solapur)	Third party technical Scrutiny of the internal road works executed by PWD for SMC Solapur (57No of works)	870000	Eight Lack Seventy Thousand Only .
C.G.Konapure M.G.Kalyanshetti	M/s. Akhil Bhartiya Padmashali Tuljabhavani Dharmshala, Ausa Latur Road, Tuljapur	Site Visit to identify the cracks in building at Padmashali Tuljabhavani Dharmshala, Ausa Latur Road Tuljapur	3000	Three Thousand Only.
C.G.Konapure S.K.Kulkarni	M/S. Mhetras Construction Company Plot No.66, Datta Nagar,NearKumthekar Hospital, Jule Solapur,Solpaur	Non-Destructive test report on Columns of the structure of C wing at I.M.S. Premises of shree shikshan Pratisthan, Solapur.	8000	Eight Thousand Only.
	Rural Water Supply, Sub Division Mangalweda	Non-Destructive test report of RCC ESR at Mauje Borale Tal Mangawedha Distruict Solapur	15000	Fifteen Thousand Only. .

C.G.Konapure S.G.Ghadage	IRCON International Ltd. 23 Chinmay, Madhuban Nagar,Near Bank of India Colony, Jule solapur-413004	Mix design of Grade M20 for construction of Private railway siding with all contractors materials for coal transportation systeem for SSTPP of NTPC Limited near Hotgi Railways station in Maharashtra Civil work from Ch 2.400 to Ch. 6.00.	14000	Fourteen Thousand
	ISGEC HEAVY Engineering LTD. Shri Bhima Shankar Co-operative Sugar factory morgue, Tal-Indi, Dist:-Vijapur Karnataka.	Mix Design of M15, M20 and M25 for construction of boiler foundation, mill foundation, turbine foundation, cane carrier and other civil foundation for Shri Bhima Shankar Co-operative sugar factory morgue, Tal- Indi Dist:- Vijaipur	30000	Thirty Thousand Only.
C.G.Konapure T.Meenakshi	Avis India Consultantant Project Engineers M.M. Ghatage Engineers and Contractors, Kholhapur	Mix design of Grade M20 and M25 for construction of Co-Gen plant sub station and 132 KV transmission line at Shri Siddheshwar SSKL at Kumtha, Solapur .	21000	Twenty one Thousand
S.B.Gosavi S.B.Thalange	Solapur Municipal Corporation, Solapur	Third Party Technical Audit of New Chair Layout (Part of the work of Renovation & rectification of Hutatma Smruti Mandir Auditorium)	30000	Thirty Thousand Only.
Dr.S.S.Patil S.K.Kulkarni	Akkalkot Municipal Council, Akkalkot	Third Part Technical Audit report for proposed concrete road from Hotkar house to shri Patil House via Shri Sunil Gawandi House in Rajiv Nagar Prabhag no-2 for Akkalkot Muncipal Council Akkalkot at/Tal-Akkalkot Dist Solapur	17535	Seventeen Thousand Five Hundred Thirty five Only.

Dr.S.S.Patil Ashok Kumar	Maindargi Municipal Council, Maindargi	Third Party Technical Audit report for proposed construction of compound wall for Lukade Samaj Burial Ground in Gat No-5 for Maindargi Muncipal Council Maindargi At/Tal: Akkalkot Dist Solapur	7500	Seven Thousand Five Hundred Only.
Dr.S.S.Patil T.Meenakshi	Maindargi Municipal Council, Maindargi	Third Party Technical Audit report for providing concrete road and one side gutter from a) Sidram Tonage House to Irbasappa Kirgal House to existing CD work near Sindagi Saw Mill in Bhimanagar for Maindargi Muncipal Council, Maindargi At/Tal: Akkalkot Dist Solapur	7500	Seven Thousand Five Hundred Only.
Dr.S.S.Patil S.G.Ghadage	Chief Officer, Maindargi Municipal Council, Maindargi	Third Party Technical Audit report for providing concrete road and new gutter from Sunkappa Konchikorvu House to Dudhani Maindargi road in Bhimanagar for Maindargi Muncipal council Maindargi At/Tal: Akkalkot Dist Solapur	7500	Seven Thousand Five Hundred Only.
Ashok Kumar S.C. Deshmukh	The Executive Engineer, Public Works Division No-2, Solapur	Crust Design using Benkelman Beam Deflection equipment for Barshi to Solapur road of SH-204 from Km 2/200 to 6/500	48590	Forty Eight Thousand Five Hundred Ninty Only
	NTPC Ltd. M/s Utility Powertech Ltd	Testing of Bitumen	1900	One Thousand Nine Hundred Only
	Assitant Divisional Engineer, Central Railway Pandharpur	Testing of Stone Ballast	2800	Two Thousand Eight Hundred Only
	ADEN(BG), Central Railway Kurduwadi	Testing of Stone Ballast	5600	Five Thousand Six Hundred Only
	RVNL, Solapur	Testing of Stone Ballast	4300	Four Thousand Three Hundred Only
	SOWIL LIMITED, Kurduwadi	Testing of Moorum and Stone Ballast	14200	Fourteen Thousand Two Hundred Only
	ADEN(NG), Central Railway Kurduwadi	Testing of Stone Ballast	2800	Two Thousand Eight Hundred Only

2015-16

	Sudhir Buidtech Pvt Ltd, Nagpur	Testing of Moorum and Stone Ballast	15400	Fifteen Thousand Four Hundred Only
	RVNL, Pune	Testing of Stone Ballast	50400	Fifty Thousand Four Hundred Only
	Kokan Railway Corporation Ltd, Navi Mumbai	Testing of Stone Ballast	5600	Five Thousand Six Hundred Only
	Heriyage Manidhari Empire Solapur	Testing of Stone Ballast	4000	Four Thousand Only
	New Gurukrupa Stone Crusher Industries, Solapur	Testing of Stone Ballast	2100	Two Thousand One Hundred Only
	Joyti Construction Kurduwadi	Testing of Stone Ballast	4500	Four Thousand Five Hundred Only
C.G.Konapure S.B.Thalange, Dyawarkonda	New Gurukrupa Stone Crusher Industries, Solapur	Testing of aggregates	7250	Seven Thousand Two Hundred Fifty only
	Shri Sai Samarth Construction	Testing of aggregates	8970	Eight Thousand Nine Hundred Seventy only
A.V. Unhale S.C.Deshmukh	NTPC Ltd; C/O KEC International, Solapur Super Thermal Power Project, Villege Fatewadi, Post Hotgi Station. Solapur-413215	Analysis of Water Sample for Execution of Civil Works	2200	Two thousand two hundred only
	NTPC Ltd; C/O M/S Indure Ltd, Solapur Super Thermal Power Project, Villege Fatewadi, Post Hotgi Station. Solapur-413215	Analysis of Water Sample for work of coal handling plant at STPP, Solapur	2200	Two thousand two hundred only
	NTPC Ltd; C/O ABB Ltd, Solapur Super Thermal Power Project, Villege Fatewadi, Post Hotgi Station. Solapur-413215	Analysis of Water Sample for work of B2KV Transmission line at STPP, Solapur	2500	Two thousand and five hundred only
	NTPC Ltd; C/O GEA Cooling, Solapur Super Thermal Power Project, Villege Fatewadi, Post Hotgi Station. Solapur-413215	Analysis of Water Sample for Execution of Civil Works	2200	Two thousand two hundred only
	NTPC Ltd; C/O SMSIL-BRAPL (IV), Solapur Super Thermal Power Project, Villege Fatewadi, Post Hotgi Station. Solapur-413215	Analysis of Water Sample for Execution of Civil Works	2200	Two thousand two hundred only
	NTPC Ltd; C/O IVRCL Ltd, Solapur Super Thermal Power Project, Villege Fatewadi, Post Hotgi Station. Solapur-413215	Analysis of Water Sample for Execution of Civil Works	9100	Nine thousand and one hundred only
	SubDivisional Officer, Sub Division Modnib	Determination of permeability of soil	1500	Fifteen hundred only
SubDivisional Officer, Sub Division Barshi	Determination of properties of soil Atterberg Limit and Sieve Analysis	6600	Six thousand and six hundred	

Prof M.G.Kalyanshetti, S.B.Javheri	SubDivisionalEngineerSub DivisionNilanga	Determination of swelling pressure of soil	3400	Three thousand four hundred
	Sudhir BuildtechPvt Ltd Nagpur	Providing graph for standard proctor test	500	Five hundred
	Sowil LimitedKurduwadii	Determination of properties of soilk	4500	Four thousand five hundred
	Heritage Manidhari EmpireSolapur	Determination of in situ density of soil	6000	Six thousand
	SubDivisional Officer, Sub Division Madha	Determination of permeability of soil	1500	Fifteen hundred only
Dr. S.S.Patil. Dr. S.S.Kashid	M/s. Secretary Shri Zandugi Maharaj Belikar Sanstha Math Tal:-Pandharpur, Dist:- Pandharpur	Testing of concrete cubes	1300	One Thousand Three Hundred Only
	Mhetras Construction	Testing of concrete cubes	500	Five Hundred Only
	M/s. Quality Enterprises Pune.	Testing of concrete cubes	500	Five Hundred Only
	M/s. ISC Projects Pvt. Ltd. S-2, The Metropole, Adjacent to Inox, Bund garden road, Pune	Testing of Tiles	1500	One Thousand Five Hundred Only
	M/s. ISGEC Heavy Engineering Ltd. Bhimashankar Sugar Site, Vijapur, Karnataka.	Testing of Tor steel	15550	Fifteen Thousand Five Hundred Fifty Only
	M/s. ISGEC Heavy Engineering Ltd. Bhimashankar Sugar Site, Vijapur, Karnataka.	Testing of Structural steel	3200	Three Thousand Two Hundred Only
	M/s. ISGEC Heavy Engineering Ltd. Bhimashankar Sugar Site, Vijapur, Karnataka.	Testing of Structural steel	4800	Four Thousand Eight Hundred Only
	M/s. Dhanasmruti Buildcon Pvt. Ltd. Sangam, Post- Nira-Narsingpur, Tal:- Malshiras, Dist:- Solapur.	Testing of Structural steel	6050	Six Thousand Fifty Only
	M/s. Vijaykumar Sidhram Sarsambi 56 B, Jagdamba nagar, Jule Solapur, Solapur	Testing of Bricks	1600	One Thousand Six Hundred Only

	M/s. Saka & Boddu Associates, Sakhar Peth, Solapur	Testing of steel	1800	One Thousand Eight Hundred Only
	M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	500	Five Hundred Only
Dr.S.S.Patil, L.A.Pasnur	M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	500	Five Hundred Only
	M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	500	Five Hundred Only
	M/s Gaurav Developers, Mitr.-26, Vikas Nagar, Hotagi Road, Civil Lines Solapur.	Testing of steel	4100	Three Thousand Six Hundred Only
	M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	500	Five Hundred Only
	Heritage Infra Projects	Testing of Cement	2800	Two Thousand Eight Hundred Only
Dr.S.S.Patil, Bipin Patil	M/s IMP Realty Pvt. Ltd. 21B/6, Ganesh Nagar, Soc., Samrat Chowk, Budhwar Peth, Solapur.	Testing of concrete cubes	500	Five Hundred Only
	M/s Solapur Construction & fabrication Pvt.Ltd. E-1 Mantri chandak park,Opp. Mayur Mangal Karyalaya; Bijapur road Solapur	Testing of Bricks	600	Six Hundred Only
	M/s. NTPC Limited(A Govt. of India Enterprise), Solapur Super Thermal Power Project, Solapur	Testing of Tiles	4400	Four Thousand Four Hundred Only
	M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	500	Five Hundred Only

M/s Sowil Ltd/ PMC, New ADEN Building, Opp. Railway Microwave Tower Barshi, Road Kurduwadi (413208) Solapur.	Testing of steel	2700	Two Thousand Seven Hundred Only
M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	2900	Six Hundred Only
M/s Gaurav Developers, Mitr.-26, Vikas Nagar, Hotagi Road, Civil Lines Solapur.	Testing of concrete cubes	600	Six Hundred Only
M/s. NTPC Limited(A Govt. of India Enterprise), Solapur Super Thermal Power Project, Solapur	Testing of Tiles	4500	Four Thousand Five Hundred Only
M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	600	Six Hundred Only
M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	600	Six Hundred Only
M/s. Srishail S. Hatture, 80/1, Mallikarjun Nagar, Hatture Vasti , Hotgi Road - Solapur	Testing of Bricks	3000	Three Thousand Only
M/s. Aaddi Construction, Solapur	Testing of concrete cubes	600	Six Hundred Only
M/s. Halko Infra Projects, The City Engineer, Solapur Municipal, Corporation, Solapur	Testing of concrete cubes	600	Six Hundred Only
M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk, Budhwar Peth, Solapur - 413002	Testing of concrete cubes	600	Six Hundred Only

Dr.S.S.Patil, S.P.Pasnur	M/s. IMP Reality Pvt. Ltd. 21B/6, Ganesh Nagar Soc. Samart Chowk,Budhwar Peth, Solapur - 413002	Testing of concrete cubes	600	Six Hundred Only
	M/s. NTPC Limited(A Govt. of India Enterprise) Solapur Super Thermal Power Project, Solapur	Testing of Tiles	4500	Four Thousand Five Hundred Only
	M/s. Gaurav Developers, Mitr, 26, Vikas Nagar, Hotgi Road,Civil lines, Solapur- 413003	Testing of concrete cubes	600	Six Hundred Only
	M/s. Halko Infra Projects, The City Engineer, Solapur Municipal, Corporation, Solapur	Testing of concrete cubes	600	Six Hundred Only
	M/s Zonal Officer, Zone Office no.8, Solapur Municipal Corporation, Solapur	Testing of Paver Blocks	1200	One Thousand Two Hundred Only
	Synergy Infra, Solapur	Testing of concrete cubes	600	Six Hundred Only
	M/s. IMP Realty Pvt. Ltd. 21B/6, Ganesh Nagar Soc., Samart chowk, Budhwar Peth, Solapur 413002	Testing of concrete cubes	600	Six Hundred Only
	M/s. Mhetras Construction Company Plot No-66, Datta Nagar, Near Kumthekar Hospital, Jule Solapur, Solapur 413004	Testing of concrete cubes	600	Six Hundred Only
	M/s. ISGEC Heavy Engineering Ltd. A- 4, Sector 24, Noida	Testing of Bricks	3800	Three Thousand Eight Hundred Only
Ashok Kumar, S.C.Deshmukh	Central Railway	Testing of Stone Ballast	77100	SeventySeven Thousand One Hundred Only
	IRCON International Ltd.	Testing of Stone Ballast	19600	Nineteen Thousand Six Hundred Only
	National Thermal Power Co.Ltd.	Testing of Stone Ballast	4500	Four Thousand Five Hundred Only
	Rail Vikas Nigam Limited	Testing of Stone Ballast	2800	Two Thousand Eight Hundred Only
	Sowil Limited	Testing of Stone Ballast	7100	Seven Thousand One Hundred Only

BIPIN Patil, S.G.Ghadge.	Balaji Industries	Testing of Cement, Tiles, Bricks and concrete cubes	2000	Two Thousand Only
	Central Railway	Testing of Cement, Tiles, Bricks and concrete cubes	5400	Five Thousand Four Hundred Only
	Imp Homes	Testing of Cement, Tiles, Bricks and concrete cubes	2200	Two Thousand Two Hundred Only
	Mangal Construction	Testing of Cement, Tiles, Bricks and concrete cubes	3500	Three Thousand Five Hundred Only
C.G.Konapure S.B.Thalange	Akhil Bharti Padmshali Tuljabhavani Dharmshala	Testing of Cement and aggregates	3000	Three Thousand Only
	Arkal Udyog	Testing of Cement and aggregates	4000	Four Thousand Only
	Damani Vidyamandir	Testing of Cement and aggregates	5000	Five Thousand Only
	Falcon Enterprises	Testing of Cement and aggregates	15000	Fifteen Thousand Only
	Mhetras Construction Company	Testing of Cement and aggregates	8000	Eight Thousand Only
	NTPC	Testing of Cement and aggregates	3000	Three Thousand Only
	S. N. Rawalekar	Testing of Cement and aggregates	4250	Four Thousand Two Hundred Fifty Only
	Water Resource Department	Testing of Cement and aggregates	15000	Fifteen Thousand Only
LATA Pasnur, S.G.Ghadge	IRCON International Ltd.	Testing of Cement, Tiles, Bricks and concrete cubes	4850	Four Thousand Eight Hundred Fifty Only
	Mantri Realty Ltd	Testing of Cement, Tiles, Bricks and concrete cubes	3500	Three Thousand Five Hundred Only
	Sathiapal Engineers (India) Ltd.,	Testing of Cement, Tiles, Bricks and concrete cubes	2500	Two Thousand Five Hundred Only
Dr.S.A.Halkude M.G.Kalyanshetti	Alacrity Construction Private Ltd	Testing of liquid limit, plastic limit and	6800	Six Thousand Eight Hundred Only
	IRCON International Ltd.	Testing of liquid limit, plastic limit and	5000	Five Thousand Only
	Isc Projects Pvt. Ltd.	Testing of liquid limit, plastic limit and	4500	Four Thousand Five Hundred Only
	Manidhari Realtors Pvt Ltd	Testing of liquid limit, plastic limit and	6000	Six Thousand Only
	PTCL Infrastructure Ltd	Testing of liquid limit, plastic limit and	6800	Six Thousand Eight Hundred Only
	Rail Vikas Nigam Limited	Testing of liquid limit, plastic limit and	8700	Eight Thousand Seven Hundred Only
	Water Resource Department	Testing of liquid limit, plastic limit and	34800	ThirtyFour Thousand Eight Hundred Only
P.N.Kore. L.A.Pasnur	IMP Homes	Testing of Cement, Tiles, Bricks and concrete cubes	2000	Two Thousand Only
	NTPC	Testing of Cement, Tiles, Bricks and concrete cubes	2900	Two Thousand Nine Hundred Only

S.C.Deshmukh, Ashok Kumar	Central Railway	Testing of Stone Ballast	6800	Six Thousand Eight Hundred Only
	Godawari Industrial Traders	Testing of Stone Ballast	1500	One Thousand Five Hundred Only
	Indure Pvt Ltd (The)	Testing of Stone Ballast	4400	Four Thousand Four Hundred Only
	Power Grid Corporation Of India Limited	Testing of Stone Ballast	2200	Two Thousand Two Hundred Only
	S.N.Bhobe & Associates Pvt.Ltd.	Testing of Stone Ballast	5600	Five Thousand Six Hundred Only
	Sowil Limited	Testing of Stone Ballast	2800	Two Thousand Eight Hundred Only
S.S.Hiremath, S.C.Deshmukh	ABB Ltd	Analysis of water sample for drinking purpose	5600	Five Thousand Six Hundred Only
	Airports Authority Of India	Analysis of water sample for drinking purpose	1700	One Thousand Seven Hundred Only
	Bhima Sahakari Sakhar Karkhana Ltd.	Analysis of water sample for drinking purpose	1700	One Thousand Seven Hundred Only
	Gea Cooling Tower Technology Pvt. Ltd.	Analysis of water sample for drinking purpose	4400	Four Thousand Four Hundred Only
	IVRCL Infrastructure & Projects Ltd.	Analysis of water sample for drinking purpose	22000	TwentyTwo Thousand Only
	KEC International Ltd.	Analysis of water sample for drinking purpose	4400	Four Thousand Four Hundred Only
	Unitech Engineers Pvt. Ltd.	Analysis of water sample for drinking purpose	2200	Two Thousand Two Hundred Only
	Yashodhara Super Speciality Hospital Pvt.Ltd.	Analysis of water sample for drinking purpose	2500	Two Thousand Five Hundred Only
Dr. S.S.Patil, P.N.Kore,	Avis India	Testing of Cement, Tiles, Bricks and concrete cubes	11900	Eleven Thousand Nine Hundred Only
	Bygging India Ltd	Testing of Cement, Tiles, Bricks and concrete cubes	8200	Eight Thousand Two Hundred Only
	Goli Constructions	Testing of Cement, Tiles, Bricks and concrete cubes	5600	Five Thousand Six Hundred Only
	IMP Homes	Testing of Cement, Tiles, Bricks and concrete cubes	30500	Thirty Thousand Five Hundred Only
	Lokshakti Sugar And Allied Industries Ltd	Testing of Cement, Tiles, Bricks and concrete cubes	5150	Five Thousand One Hundred Fifty Only
	Mannat Constructions	Testing of Cement, Tiles, Bricks and concrete cubes	7000	Seven Thousand Only
	NTPC	Testing of Cement, Tiles, Bricks and concrete cubes	5600	Five Thousand Six Hundred Only
	Power Grid Corporation Of India Limited	Testing of Cement, Tiles, Bricks and concrete cubes	14950	Fourteen Thousand Nine Hundred Fifty Only
	Public Works Department	Testing of Cement, Tiles, Bricks and concrete cubes	3600	Three Thousand Six Hundred Only

Dr. S.S.Patil, L.A, Pasnur	S. N. Rawalekar	Testing of Cement, Tiles, Bricks and concrete cubes	10000	Ten Thousand Only
	Saleem Constructions	Testing of Cement, Tiles, Bricks and concrete cubes	2500	Two Thousand Five Hundred Only
	Sameer Gandhi	Testing of Cement, Tiles, Bricks and concrete cubes	12100	Twelve Thousand One Hundred Only
	Sathiapal Engineers (India) Ltd.,	Testing of Cement, Tiles, Bricks and concrete cubes	4000	Four Thousand Only
	Solapur Municipal Corporation	Testing of Cement, Tiles, Bricks and concrete cubes	18700	Eighteen Thousand Seven Hundred Only
	Sowil Limited	Testing of Cement, Tiles, Bricks and concrete cubes	18300	Eighteen Thousand Three Hundred Only
	Water Resource Department	Testing of Cement, Tiles, Bricks and concrete cubes	16000	Sixteen Thousand Only
Supriya Konda, L.A.Pasnur	Mangal Construction	Testing of Cement, Tiles, Bricks and concrete cubes	1700	One Thousand Seven Hundred Only
	Sathiapal Engineers (India) Ltd.,	Testing of Cement, Tiles, Bricks and concrete cubes	4000	Four Thousand Only
S.G.Ghadge, L.A.Pasnur	Bushra Construction	Testing of Cement, Tiles, Bricks and concrete cubes	4500	Four Thousand Five Hundred Only
	Idea Cellular	Testing of Cement, Tiles, Bricks and concrete cubes	3000	Three Thousand Only
	Mantri Realty Ltd	Testing of Cement, Tiles, Bricks and concrete cubes	2000	Two Thousand Only
Dr.S.A.Halkude, A.V.Unhale	Maharashtra Pollution Control Board	Ambient Air Quality Monitoring	57000	Fifty Seven Thousand only
Dr.S.S.Patil, S.C.Deshmukh	Maharashtra Pollution Control Board	Ambient Air Quality Monitoring	57000	Fifty Seven Thousand only
Dr.S.S.Patil, S.S.Hiremath	Maharashtra Pollution Control Board	Ambient Air Quality Monitoring	228000	Two Lakhs Twenty Eight Thousand
Dr.S.A.Halkude, S.C.Deshmukh	Maharashtra Pollution Control Board	Ambient Air Quality Monitoring	228000	Two Lakhs Twenty Eight Thousand